

# Franckesche Stiftungen zu Halle

## Conspectus Chirurgiæ Tam Medicæ, Methodo Stahliana Conscriptæ

Juncker, Johann

Halæ, MDCCLVII.

VD18 90812107

Index Rerum.

---

### Nutzungsbedingungen

Die Digitalisate des Francke-Portals sind urheberrechtlich geschützt. Sie dürfen für wissenschaftliche und private Zwecke heruntergeladen und ausgedruckt werden. Vorhandene Herkunftsbezeichnungen dürfen dabei nicht entfernt werden.

Eine kommerzielle oder institutionelle Nutzung oder Veröffentlichung dieser Inhalte ist ohne vorheriges schriftliches Einverständnis des Studienzentrums August Hermann Francke der Franckeschen Stiftungen nicht gestattet, das ggf. auf weitere Institutionen als Rechteinhaber verweist. Für die Veröffentlichung der Digitalisate können gemäß der Gebührenordnung der Franckeschen Stiftungen Entgelte erhoben werden.

Zur Erteilung einer Veröffentlichungsgenehmigung wenden Sie sich bitte an die Leiterin des Studienzentrums, Frau Dr. Britta Klosterberg, Franckeplatz 1, Haus 22-24, 06110 Halle (studienzentrum@francke-halle.de)

### Terms of use

All digital documents of the Francke-Portal are protected by copyright. They may be downloaded and printed only for non-commercial educational, research and private purposes. Attached provenance marks may not be removed.

Commercial or institutional use or publication of these digital documents in printed or digital form is not allowed without obtaining prior written permission by the Study Center August Hermann Francke of the Francke Foundations which can refer to other institutions as right holders. If digital documents are published, the Study Center is entitled to charge a fee in accordance with the scale of charges of the Francke Foundations.

For reproduction requests and permissions, please contact the head of the Study Center, Frau Dr. Britta Klosterberg, Franckeplatz 1, Haus 22-24, 06110 Halle (studienzentrum@francke-halle.de)

urn:nbn:de:gbv:ha33-1-197684-



## INDEX RERUM.

### A.

<b>A</b> <i>bscessus</i>	Pag. 65	<i>Absorbentium</i> inspersio cancerum	
calidus & frigidus.	66	mammaram pejozem reddit	315
ejus apertio	519		316
ultra tempus non protrahenda	69	<i>Acanthium</i> seu onopordon in canero	
aperiendi quinam?	71. 521	ulcerato commendatur	311. 316
- quomodo?	71. 519. 520	<i>Acetum</i> partim resolvit, partim roborat	169. 170
incisio & apertio quando necessaria	70. 71. 520	lixiviis sulphuratis instillatum	
maturatio qua' encheiresi exploranda	67	quid efficiat	168
- perfecta ubi non expectanda	521	rosarum efficax in fugillationibus	131
suppuratio quo die succedat	67	ad deliquium animi	601
- copiosior non simultaneae sed successive educenda	72	quomodo ex spirituoso fermentescente fiat potu	95
materia peculiari folliculo inclusa quomodo educenda	521	<i>Achores</i>	253. 254
in ulcus converti potest	244	retropulsa ulcera insequentes	156
partium internarum lethalis	69	retropulsio eorum familiaris	
<i>Absorbentia</i> citrata ardorem & dolorem in vulneribus contemperant	330	quam maxime cavenda	157. 254
<i>Ablactatio</i> tumoribus mammaram saepe aniam prabet	156	maligni interdum remedia eludunt	264
		serpiginosum quid fovent	ibid.
		quomodo tractandi	265
		cum phthiriasi	205
		<i>Acida</i> non agunt in partes emortuas sed vivas	95
		haemorrhagiam sistunt coagulando	380
			<i>Aci-</i>

INDEX RERUM.

<i>Aciditatem</i> volatilem recentiores in sphacelo statuunt	92	eorum usus in hæmorrhagiis cir- cumspèctus esse debet	384
<i>Acidula</i> profunt in contracturis & ariduris	240	<i>Adstringentes</i> pulveres in achoribus non simpliciter applicandi	266
<i>Acupunctura</i> Chinenfium & laponen- fium	490	<i>Adftrictio</i> vias respicit	381
<i>Acus</i> variæ magnitudinis	12 fqq.	<i>Äder-Verftauchung</i> quid fit	434
<i>Acrimonia</i> falina ex mifcela pauciffi- mi fanguinis cum fero & lym- pha	315	<i>Aegilops</i>	273
<i>Adrianfon</i> excogitavit instrumentum ad profin	588	unde denominetur	279
<i>Adftringentia</i> nocent in hæmorrha- giis excrefceniarum fungofa- rum	384	quomodo curari debeat	ibid.
præcipue in inflammatione ab in- ternis cauffis	61	<i>Aegineta</i> confilium in anevryfmate rejjicitur	114
fcirrhus inducunt	139	<i>Äer</i> num vulneri tantopere noceat	330. 337
in metu fphaceli eminus adhiberi folent	97	frigidus ab offibus denudatis ex- cludendus	324. 335
<i>faturnina</i> ulceribus maximam a- nomaliam inducunt	253	<i>Aerugo</i> aufert callum	257
in ambuftionibus tarde non funt adhibenda	103	in fphacelo commendatur	94
in oedematibus non conveniunt	168	<i>Aes uftum</i> eft fepticum	252
in prociencia uteri circumfpecte adhibenda	179	aufert callum	257
in prociencia ani ab hæmorrhoi- dalibus moliminibus damnum inferunt	182	offa reddit cariola	271
damnantur in contractura & ari- dura	241	viride ad clavos pedum laudatur	234
loco difcuffionis repellunt	212	<i>Aethiops mineralis</i> laudatur a quibus- dam in parotidibus	147
notiffima	381	& in refolvendis fcirrhis	143
		<i>Affluxus cohibitio</i>	71
		difcuffio dextre inftituenda	547
		in inflammationibus	61
		rejjicitur	61
		<i>Afri</i> quidam exanthemata ligno can- dente adurunt	542
		<i>Agrimonia</i> recens in fugillationibus laudatur	131
		<i>Agricola</i> globulum plumbeum e cer- vo exfectum laudat in paroti- dibus	147

*Albini*

I N D E X

<i>Albini acus</i> ad cataractæ depositionem	601	<i>Ambustiones</i> circa articulationes & ligamenta quomodo tractandæ	102
<i>Album græcum</i> laudatur in gargarismatibus ad temperandum	519	oculorum levissimæ cæcitatem inducere possunt	99
specificè solet laudari ad synoviam	391	quomodo curandæ	102
<i>Alchimilla</i> motum sanguinis auget	247	earum vesicæ quando aperiendæ	103
<i>Albugo</i>	588	universales non sunt vilipendendæ	104
<i>Alexipharmaca</i> quando & quomodo in tumoribus inflammatoriis adhibenda	64	<i>Amelß Hauffen</i> quid sit	229
calida impetum inflammatorium augent	89	<i>Amma</i>	13
<i>Alvi fluxus</i> parotidi superveniens salutaris	146	<i>Ammanni</i> medicina critica allegatur de embryulcia	658
<i>Alumen ustum</i> est septicum saccharo paululum efficacius	333	<i>Amputatio</i> partium corruptarum & superfluarum	549
magma aluminosum valde stipticum describitur	380	cubiti seu brachii inferioris	553
<i>Amara</i> sunt vermium venena	314	femoris	556
<i>Amaurosis</i> quid sit	594	- omnium periculosissima	ibid.
eludit omnem operationem	600	digitorum in manibus & pedibus	552
<i>Ambe Hippocratica</i>	12	mammæ canerosæ	556. 625
<i>Ambustiones</i>	98	manus	552
sunt vel siccæ vel humidæ	ibid.	ossis humeri seu brachii superioris	555
differunt ratione graduum	ibid.	- pedis	ibid.
notabiles in nonum diem crescunt	99	- tibiæ	556
tendunt successive in gangrænam & sphacelum	ibid.	<i>Amputationis</i> partium causæ	549
nervorum & tendinum contracturam & ariduram inducere solent	99	- locus	550
non facile curam admittunt in scorbuticis & cacochymicis	99	- instrumenta	550
		- modus	ib. 551
		- cautelæ	556. sqq.
		<i>Amuletica</i> minus locum habent in gravibus hæmorrhagiis passivis	385 sunt

R E R U M

sunt remedia incerta	212	- varii operationis modi	114. 115
ad verrucas	231	<i>Angliae reges</i> contactu strumas curare	
primario a causa morali dependen-		posse refertur	212
dent	220	<i>Ani clausura</i>	522
<i>Amygdalæ amaræ</i> in brutis non æque		unde dignoscatur	523
in hominibus deleterium habent effectum	207	quando utiliter secetur	531
<i>Analeptica</i> in sphacelo se commendant	97	<i>fistula</i>	280. 647
<i>Anchilops</i>	773	<i>imperforatio</i> quomodo aperienda	526. 528
cum fistula lacrymali interdum conjunctus est	ib.	<i>procidencia</i>	180. 646
<i>Anchylosis</i> excipit nonnunquam luxationem manus	465	- est tantum partialis	180
quomodo tractanda sit	414	- observatio circa illam	ibid.
est plerumque incurabilis	414	- distinguenda a protuberantiis hæmorrhoidum cæcæ	ib.
<i>Anelli</i> methodus fistulæ lacrymalis curandæ	276	- curatur repositione & retentione	181
<i>Aneurisma</i>	108	- a moliminibus hæmorrhoidalibus producta non tolerat adstringentia	182
duplex est	ib.	<i>Animi</i> pathemata statim lactis inducunt & fovent	ib.
spurium unde dependeat	110	- per V. S. non curantur	486
- celeriter abit in sphacelum	ib.	<i>Animalia</i> viva dissecta adhiberi solent ad auferendam debilitatem	412
- a varice spurio discernendum	116	<i>Ankyloblepharon</i>	522. 525. 584
verum unde dependeat	109	<i>Annuli</i>	191. 208
- operationem reddit omnium difficillimam	110	<i>Annulus aeneus</i>	13
non tolerat suppurationem	112	uterinus	14
internum artis auxilium respuit	111	<i>Anthrax</i>	81
in vasis majoribus maximum periculum adfert	110	<i>Antimonii butyrum</i> in carbunculo	
colli Barbette nunquam curatum vidit	111	Sylvius præcipue laudat	84
per errorem non est aperiendum	116	in sphacelo commendatur	94 95
ejus operatio	111. 112	fictæ aciditati volatili opponitur	92
<i>Junck. Chir.</i>		non agit in partes emortuas sed	
		Pppp	vi.

I N D E X

vivas	95	in hydrocephalo ab Hildano	
<i>Antitrangi cauterisatio</i>	607	commendatur	174
<i>Antivenerea decocta</i> segnius agunt		oleosis temperanda in ambustio-	
quam remedia mercurialia	294	nibus	103
<i>Aperitio partium</i> præter naturam		nocet in inflammationibus	62
clausurarum	522	<i>cinnamomi</i> omnibus analepticis in	
<i>Aphthæ</i> quomodo tractandæ sint	514	sphacelo præferenda	97
<i>Apoplegmatizantia</i> in hydrocephalo		<i>florum omnium</i> nocet in inflamma-	
commendantur	174	tionibus	62
<i>Aposkeparnismos</i>	339	<i>grysea</i> describitur	391
<i>Appropinquatio</i>	340	<i>Hungarica</i> laudatur in procidentia	
<i>Apostasis</i> duplici sensu ab Hippocra-		uteri	178
te sumitur	65	<i>muriatica</i> in gangræna laudatur	88
κατ' ἀπόθεσιν quid sit	66	<i>e pomis putrefactis</i> laudatur ad ul-	
κατ' ἐκκρίσιν quid sit	65	cera scorbutica	288
quomodo differat a rheumatismo		<i>falsa</i> ulcus eluere non absurdum	
	73	est	254
febriles apostases	65. 73. 74. 145	<i>stercoris humani</i> in cancro ulcera-	
	148	to laudatur a Weickhardo	311
chirurgis non sunt committendæ		sale armoniaco saturata ad verru-	
	9	cas commendatur	231
Ἀπόστημα	65	<i>Arcanum corallinum</i> paulo vehemen-	
<i>Apostematis</i> signa	56. 66. 67	tius est quam mercurius præci-	
maturatio quomodo exploranda	67	pitatus ruber	253
		<i>Arcus</i> ex ossibus ceti ad deligatio-	
ejus ruptio quomodo promovenda	70	nem excrecentiarum paratur	221
causæ	67	<i>Aridura</i>	283
<i>Apostema</i> suppuratorium quomodo		magis externa remedia exposcit	239
differat a putredinoso	66	per ligaturam non accipit nutri-	
tribus modis aperiri solet	519	mentum	241
quomodo differat a furunculo	75	<i>Arnica</i> decoctum laudatur in contu-	
<i>Aqua calcis vivæ</i> ut lene tonicum in		sionibus	370
gangræna laudatur	88	<i>Arsenicum</i> in cancro non adhiben-	
in sphacelo commendatur	94	dum	313. 314
carnem nervos & juncturas con-		ad carnem fungosam non appli-	
trahit	103	can-	



I N D E X

de emollit & difcutit	60	tas commendat in tumoribus	
<i>Barbi piscis</i> sanguis laudatur ad næ-		oedematosis	170
vos maternos	237	<i>Botalli</i> amputationis methodus ni-	
<i>Bartholini</i> exemplum sphaçeli auto-		mis rudis	558
cratice curati	92	consilium de venæsectione in æstu	
<i>Bartischii</i> machina ad ptosin tollen-		febrili	485
dam	588	<i>Botrytis</i> seu lunaria racemosa in can-	
<i>Bauch-Brüche</i>	204	cro ulcerato commendatur	311
<i>Belloste</i> lamina ferrea ad carnem lu-		<i>Boulins</i>	149
xuriantem post trepanationem		<i>Bouton</i>	13
impediendam	583	<i>Boyleus</i> millepedum usum specificè	
turundarum usum damnat	53. 522	laudat in cataracta	604
<i>Benzoë</i> moderate exsiccat & reprimat		<i>Bracheria</i>	194. 205
	122	in herniis præstant emplastris	193
<i>Berolinensia miscellanea</i> exhibent pe-		<i>Brachesium</i>	13
culiarem observationem de		<i>Brassica muriatica</i> liquor est rustici	
epulide	614	ejusdam remedium in gan-	
<i>Betonica</i> succus in gangræna & spha-		græna & sphaçelo	89. 96
çelo laudatur	89	brodio rusticus gangrænam cura-	
<i>Bilis</i> veterum quid sit	315	vit	89
<i>Binde</i>	25	<i>Brand, heisse</i>	86
<i>Blut-Schwäre</i>	74. 75	kalte	89
<i>Striemen</i>	129	ein gesaltzener kalter Brand	90
<i>Barbavius</i> spiritum salis armoniaci		<i>Bregmatum</i> distorsio in infantibus	
in cataracta admodum prædicat	605		657
<i>Börstgen</i>	22	<i>Brissæi</i> acus ad cataractæ depositio-	
<i>Bobnii</i> dissertatio de trepanatione		nem	6. 1
allegatur	573	<i>Bronchocele</i>	185. 209
<i>Bohrer</i>	24	<i>Bronchotomia</i>	533. 620
<i>Angel-Bohrer</i>	ib.	aqua submersis destinata quomo-	
<i>Boneti</i> medicina septentrionalis alle-		do instituenda sit	623
gatur	618	cautelæ circa eandem	622
<i>Borelli</i> observatio de carduo, ono-		<i>Bruch-Band</i>	13
pordon seu acanthion dicto		<i>Bruch-Schneider</i>	195
	311. 316	<i>Bruch-Pflaster</i>	205
<i>Borrichius</i> vesicas aqua calida reple-		<i>Brunnerus</i> excrescentias urethræ in	
		dubium vocat	630
		<i>Bu-</i>	

R E R U M.

<i>Bubones</i>	148	rum sistit	385
a nonnullis latiore sensu accipiuntur	149	externe in oedemate commendatur	170
per metastasin febrilem evenientes	ib.	ejus virtus in vulneribus venenatis laudata dubia est	376
<i>febriles</i> active considerandi sunt	150. 154	in strumis adhiberi solet	212
difficiliter resolvuntur & in maturationem abeunt	151	<i>Bufo</i> num oleum commendat Borellus	
quomodo tractandi	152	in strumis	211
<i>pestilentiales</i> active considerandi	150	laudatur a Foresto in oedematibus	170
- periculosi quidem sunt, spem tamen aliquam restitutionis faciunt	151	<i>Bourdonets</i>	51
- in capite provenientes periculosiores sunt aliis	151	<i>Burrhus</i> & <i>Kerkringius</i> promittunt visus restitutionem, licet omnes humores effusi sint	351
- sectione extirpare requirit circumspeditionem	153	<b>C.</b>	
- quomodo tractandi	154	<i>Cæsiones</i> cranii	339
<i>pueriles</i> respiciunt secretionem spermaticam	150	<i>Calcis viva</i> decoctum in superficiario tantum sphacelo efficax	95
- sponte sua evanescere solent	151	<i>Calculi signa</i>	633. 599
<i>veneri</i> non pure passive considerandi	150	<i>Calender</i> in den Gliedern unde proveniat	252. 382. 407. 444
- refractarii sunt	152	<i>Callus</i> quibus promoveatur remediis	411
quomodo tractandi	153. 154	quæ tamen ante diem septimum non debent propinari	411
<i>Bubonocèle</i>	183. 187. 208	quomodo removendus sit	257
non debet confundi cum bubone	185	mollior in junctura interdum profligatur	444
ingentes dolores & vomitus causatur	185. 187	trophaceus in junctura non admittit curam	ib.
<i>Buch-Band</i>	43	<i>Callosa</i> ulcera quomodo tractanda	257
<i>Bufo</i> in carbunculis solet laudari	85	<i>Camariosis</i> quid sit	340
exsiccat & pulverisatus stipticis mixtus hæmorrhagiam vulnerum sistit		<i>Camphora</i> in chirurgia incomparabile est remedium resolvens & discutiens	139
		juvat discussionem sanguinis affluentis & corrumpentis	70. 548
		P p p p 3	pu-

I N D E X

pura camphorata solam sanguineam portionem discutiant		tea rodit	315
	63. 130. 254. 259	suos habet corruptionis gradus	299
in levi inflammatione sola exhiberi potest	60	quomodo differat a carcinomate	ibid.
in affluxu majori cum subadstringentibus	59	ejus indoles non est perspecta	310
laudatur in cancro	313	verus differt ab ulceribus corruptis cancroideis	299
qua cautela applicanda sit in inflammationibus	63. 254	- ulceribus mammarum inveteratis	300
optima applicandi methodus	ib. 312	illius falsa ætiologia	304. 305
cum paregoricis mitigat dolores in fracturis	411	per multos annos tranquille subsistere potest	305
in sensibilibus subjectis motus exasperat	63	num vivat & vermibus refertus sit	314
commendatur in ambustionibus	103	carnibus cancrum saturare velle, ridicula est intentio	314
juvat emplastrorum tractabilitatem	49	cur in renibus non inveniatur	306
ejus spiritus crocatus quid efficiat	63	num curationem admittat	307
<i>Camphorata</i> in carbunculo locum non habent	84	contagiosus est, non tamen præpotenter	308
<i>Canalis longus</i>	13	<i>apertus</i> seu ulceratus	299
<i>Cancer</i>	298	- quando altas radices accipit, vix superatur	306
quomodo differat a sphacelo	90	- quibus remediis tractandus	309. 311
unde denominationem sumserit	299	<i>occultus</i> est scirrhus sanguineus	132. 298
est corruptio seroso-lymphalis	90	- rarus affectus	134
concurrente sanguine auctiore & spisso	244	- ejus dolores per longum tempus interdum quiescunt	300
duplicem habet corruptionem, putrefacientem & rodentem	303	- an intactus relinquendus sit	308
ejus corruptio falso-acetosa lin-		- multa in illo commendantur remedia	310
		- ancipitis est eventus	305
			<i>Can-</i>

R E R U M.

- Cancer occultus*  
 - non est maturandus 310  
 - medicamenta interna illum  
 exacerbarunt ib.  
 - hujus excissio 307  
 - est ancipitis eventus 308  
*labiorum* quomodo excindendus  
 608  
*lingua* 615  
 - quomodo tractandus 616  
*mammarum* 299. 305  
 - omnium pessimus 306  
 - ejus extirpatio 310. 317  
 - si chirurgice extirpetur duplex periculum involvit 307  
 - ab insperatione absorbentium  
 pejor redditur 315  
*uteri* raro occurrit, & male com-  
 munitur cedit 317  
 - remedium canceri efficax  
 312  
 - qua enchirefi adhibita to-  
 leret spiritum vini camphora-  
 tum 312  
 - remedia canceri interna 310  
 - ejus sympatheticum reme-  
 dium ineptum 314  
*Canis* vivus dissectus laudatur ad con-  
 tracturam & ariduram 240  
*Cannula* 13  
 - argentea vel plumbea loco turun-  
 darum adhibentur 53  
*Cantharides* pondere sunt proscri-  
 bendae 510  
 - num omnes earum partes effe-  
 ctum vesicatorium praestent 509  
 quibus particulis agant, lis est 510  
 cum emplastro applicatae enchire-  
 sin postulant 510  
 non applicandae iis, qui erosione  
 viarum urinarum laborant 510  
*Carbunculus* benignus & malignus 81  
 unde carbonis nomen acceperit 82  
 est gangraena particularis 82. 86  
 quibus causis producat 81  
 malignus quomodo differat a fu-  
 runculo 81  
 non semper a pustula initium fu-  
 mit 82  
 brevi tempore crescit ib.  
 circa pestem vix unquam transit in  
 pus laudabile 83  
 pestilens immediate ad sphacelum  
 tendit 82. 83  
 actu sphacelatus actualem usio-  
 nem requirit 93  
 cum cauda exitialis censetur 83  
 nigricans pessimus est ib.  
 pestilens, de eo Scultetus observa-  
 tionem habet dignissimam 85  
 retrocedens pessimi praesagii 83  
 ejus cura 84  
 plebis dicitur circa carbuncu-  
 lum 83  
*Carcinoma* quo modo differat a can-  
 cro 299  
*Cardilivus* spiritum vini laudat in  
 cataracta 604  
*Caricae* pingues maturationem pro-  
 movent 70  
*Caries* potissimum inducitur per fre-  
 quentem usum emulsivorum  
 nucleorum 320  
 qua-

I N D E X

<i>Caries</i>			
quatuor habet gradus	318		
abscondita quomodo dignoscenda	297. 319. 324		
nonnunquam in ulcus erumpit			
diffito loco	323		
<i>dentium</i> num sacchari abufui ad-			
scribenda sit	320		
- quomodo tractanda sit	322		
- est fere incurabilis	321		
<i>offium</i>	250. 318. 519		
- idiopathica, symptomatica			
	318		
- differt gradibus	ib.		
- non quidem præceps, ta-			
men fonticum est malum	320		
<i>scorbutica</i> quomodo tractanda	325		
<i>veneræa</i> quomodo dignoscenda			
	319		
- citius se diffundit quam			
simplex	320		
- quomodo tractanda sit	324		
<i>Caro fungosa</i> septicis arsenicalibus			
non est extirpanda	333		
<i>luxurians</i>	227. 251. 334		
- est concrementum fun-			
goso fibrosum	209. 215		
- unde proveniat	73. 334		
- quomodo differat a fun-			
gosis excrefcentiis	215. 227		
- non in parte impura sed			
pura provenit	227		
- quomodo tractanda sit	228		
- per aperturam cranii pro-			
crefcens quomodo impedi-			
da	583		
<i>Carpey Bäufchlein, Belgern</i>	51		
<i>Cataphractæ pectorales</i>	926		
<i>Cataplasma</i> Musitani in carbunculo			
pestilente	85		
<i>Cataplasmata</i> in scirrhis non lacte sed			
vino paranda sunt	141. 143		
ad contusiones quomodo paran-			
da	413		
<i>Cataracta</i>	945		
hujus cauffa habebatur olim pelli-			
cula in humore aqueo genita			
	597		
hodie habetur opacitas humoris			
crystallini	597		
prognosis	598		
signa	596. 597		
quomodo differat a glaucomate &			
amaurofi	594		
habet differentias plures	595. 596		
feneſtrata rarius curatur	599		
fixa & mobilis	596		
inveterata non niſi operatione			
curatur	599		
matura & immatura	595. 596		
ſimplex & complicata	ib.		
vera & ſpuria	ib.		
ejus diverſi colores unde depen-			
deant	595		
concretio cum iride	597. 598		
alba ante ſextum annum non fa-			
cile matureſcit	599		
cærulea tardius fit matura	ib.		
gryſea intra ſex menſes ſæpe ma-			
tatureſcit	ib.		

R E R U M.

<i>Cataracta</i>		<i>Cauterium</i>	14
lactea quid sit	595	- <i>actuale</i>	519. 540
- dubiæ est operationis	ib.	multis modis preferendum est	
viridis cito maturefcit	599	potentiali	541
nonnullæ ad maturitatem non		optime compefcit putredinem	
perveniunt	595		95
incipiens interdum medicamentis		in bubonibus & anthracibus	
profligatur	598. 603	laudatur a Stahljo	154
quod exemplo confirmatur	ib.	in carbunculis sphacelatis lo-	
illius depositio Celsi temporibus		cum habet	85
jam cognita fuit	600	<i>potentiale</i>	519. 540
- quomodo instituenda	600	in umbilico adurendo suspe-	
	599.	ctum est	204
- cautelæ hic observandæ	603 599.	strumis non convenit	214
		nocent cauteria in furunculo	
<i>Catarrhus suffocativus</i> a varis repul-			80
sis exortus	121	<i>Celsi assertum</i> de ultiõne	322
<i>Cathartorum</i> abusus ulcera dolose		methodus in polypo tractando	
exasperat	213	rejicitur	226
<i>Cateter</i>	13	signa fracti cranii	343
curvatus	23	<i>Cepæ</i> commendantur in ambustioni-	
<i>Cateterismus</i>	629	bus	100
applicatio cateteris	630	<i>assatæ</i> cum melle commendantur	
<i>Cauticorum</i> abusus accusatur	333	in furunculo 78. item carbun-	
noxia in varis	122	culo	84
minus tuta ad aquam evacuandam		ad sphacelum inhibendum ad-	
in hydrope scroti	202	hibitæ	97
<i>Cauterisatio</i>	540	in panaritio laudantur	127
quando usu veniat	541	<i>Ceratum</i> de ammoniaco conducit in	
locum habet post abscissionem		scirrho phlegmonodeo	138
partis	96. 317	de galbano camphoratum eximiæ	
Antitragi	607	est efficacix in scirrhis muscu-	
Prima interdum exposcit secun-		losas partes obsidentibus	140
dam	542	de galbano & ammoniaco lauda-	
Paracelsi ad excrescentias impro-		tur ad clavos pedum	234
batur	221	de mumia egregie demulcet spas-	
in fistulis ani non habet locum	283	mos fibrillarum	390
<i>Junck. Chir.</i>		Qqqq	fan.

I N D E X

fantalinum laudatur in strumis	211	profundæ considerationis	2 seq.
<i>Cerebri læsio</i> quomodo tractanda	583	unde chirurgi eam sibi vindicent	8
<i>Cerumen aurium</i> nervi puncturæ opponitur	482	<i>Chirurgorum librorum</i> magnus apparatus defectum artis non compensat	8
specificè solet laudari ad synoviam	391	<i>Cicatrix</i> æqualis quo modo obtinenda	329
<i>Cerussa</i> leniter stringendo discutit	140	<i>Cicatrizantia</i> quænam sint	73
<i>Chelidonii</i> succus non arrodit verrucas; sed peripheriam mollem	229. 230	<i>Cinnamomi aqua</i> omnibus analepticis in sphacelo præferenda	97
laudatur in vulneribus mundificandis	328	<i>oleum</i> laudatur in gangræna	88
<i>Chirurgi</i> quas læsiones in se suscipere debeant	8. 9	- in sphacelo	97
in quibus medici auxilium implorare teneantur	2. 8. 9	<i>Circulus uterinus</i>	14
quid ad restitutionem conferant	73	<i>Cirsocole</i>	184. 189. 203
frequentius ex ignorantia quam malitia restaurationem protrahunt	9	<i>Claudinus</i> corticem nucis moschatae tenuem cataractæ opponit	604
fonticos affectus ordinariè reddunt deteriores	8	<i>Clavi pedum</i>	232
<i>Chirurgia</i>	1. 7	quomodo differant a verrucis & callo	232. 233
non est nuda empiria	7	cum verrucis multum conveniunt	209. 232
<i>infusoria</i> quo modo differat a transfusoria	493	quæ ratio cur in pedibus exoriantur	233
exolevit	516	arthritidem tandem inducere possunt	ibid.
instrumentalis	1. 6	in digitorum articulationibus blandam exposcunt tractationem	234
<i>medica</i>	1. 6. 9	horum excissio improvida vel cauterisatio est noxia	233. 234
instrumentali frequentius succurrit, quam hæc illi	7	<i>Climatum</i> conditio in curandis læsionibus	345
quænam involvat	ib.	<i>Clitoris</i> stupendam molem habens quo modo tractari debeat	651
differat a therapia medica	2		
ætiologia ejus affectuum est res			

*Clyster*

R E R U M.

<i>Clyster</i>	14	<i>Concretio</i> digitorum	703
<i>Clysteres</i>	511	pudendi muliebris	651
sunt vel purgantes, vel alterantes,		vaginæ	ib.
vel nutrientes	ib.	<i>Conductor</i>	14
eorum usus magnus est	511	<i>Conformatio</i> in fracturis quomodo	
ad mitigandos varicum dolores		instituenda sit	409
commendantur	119	<i>Consolidantia</i> variant pro diversitate	
quomodo præparandi sint	512	partium	253
eorum instrumenta diversa	513	<i>Consolidatio</i> est opus folius naturæ	
- quantitas	513	73. 332. 334. 335. 411	
- temperies	513	læsionum non tam ex malitia	
frigidi in dysenteria nullo modo		quam ignorantia chirurgorum	
probantur	513	impeditur	335
injecti paululum sunt retinendi		<i>Contractura</i>	238
cautelæ circa hos in herniarum in-	515	ejus definitio	ib.
carceratione	207. 208	vulgaris contracturæ pathologia	
uterini varios habent respectus		ab aridura quomodo differat	238
- horum instrumenta	514	totalis & partialis	ib.
<i>Clystier-Pfeiffe</i>	23	magis interna remedia exposcit	
<i>Cocculi</i> seu baccæ Levantica	265	non tolerat ealida & volatilia	239
<i>Cochlea</i>	14	<i>Contraffissura</i> quid sit	339
<i>Cochlearia</i>	ib.	a nonnullis auctoribus negatur	
<i>Colli incurvati</i> restitutio	624	ejus signa	340
<i>Colliso</i>	338. 340	quomodo tractanda	344
<i>Collyria</i> variorum auctorum allegan-		cranii, ejus prognosis	344. 396
tur	605	<i>Contusio</i>	368
post cataractæ depositionem adhi-		composita	369
bendum collyrium	601	levis pertinet ad fugillationes	368
<i>Colophonii oleum</i> efficacius est in per-		cranii	338
nionibus quam balsamus sul-		- quomodo tractanda	346. 247
phuris	107	sclopetaria quomodo tractanda	
<i>Compressen</i>	48		371
<i>Compressio</i> per monile plumbeum		<i>Corporis præparatio</i> secundum anti-	
laudatur in strumis	214	quos dexterrime commenda-	
<i>Compunctiones</i>	516	tur	
		Qqqq 2	

I N D E X

tur	140. 141	adhibendus	385
<i>Corrosiva</i> omnia ossibus nocent	296	<i>metallorum</i> in hæmorrhagiis vul-	
non agunt in partes emortuas sed		nerum cautissime adhibendus	
vivas	95	ibid.	
in sphacelo segnius agunt	ib.	- Rulandi cum cautela	
excrefcentiis fungosis non teme-		usurpandus	253
re adhibenda	217. 222	<i>Crollii emplastrum stypticum</i> est cica-	
suspecta sunt in tumoribus tunica-		trizans	73
tis	160	- consolidationem pro-	
damnantur in cancro	314	mover	329
<i>Corrosivum Sutorianum</i> approbatur		<i>lapis medicamentosus</i> exsicantem	
	333. 540	& reprimentem habet effectum	
<i>Corruptio fermentativa</i> quid sit	78	122	
putredinosa a falsa inhibetur		- laudatur in herpete sim-	
	306	plici	124
<i>Corruptionis</i> putredinosæ & suppura-		- num quid præstet in	
toris differentia	89	phlegmone	64
vera materia quænam sit	78	<i>Crusta lactea</i> quid sit	264
<i>Corruptiones humorum</i> diversæ sunt		<i>Cucurbita</i>	15
indolis	3. 4	<i>Cucurbitula cæcæ</i>	240
<i>Cortex granatorum</i> laudatur in præ-		<i>Cucurbitularum</i> numerus	493
cidentia uteri	178	<i>Culter</i> ad partes amputandas igne	
ligni Fraxini hæmorrhagias		candeat non opus est	96
sistit	502	<i>Cultri</i>	15
<i>Nicis moschata</i> tenuis a Claudino		<i>Cura sympathetica</i> per cancerum flu-	
- cataraçtæ opponitur	604	viatilem in cancro est inepta	
<i>S. mbuci</i> viridis & folia recenter		314	
concerpta laudantur in vulne-			
ribus venenatis	375	D.	
<i>Crep. &amp; lupi</i> hæmorrhagiam sistit ob-		<b>D</b> eccessio	340
turando	379	<i>Deckeri</i> tuba acoustica	607
rejjicitur post suctionem hirudi-		<i>Decocta antiveneræ</i>	294
num	502	- in tumoribus tunicatis	
<i>Crinale instrumentum</i>	15	præstant salivationi	161
<i>Crocus martis</i> adstringens desiccando		- in hisce radices adver-	
consolidat	313	sus ulcerosos affectus majo-	
hæmorrhagiis sistendis solus non		rem	

R E R U M.

rem usum habent quam ligna	per solam cum acubus agitatio-
161	nem cariem incurrunt 324
lignosa laudantur in herpete	eorum purificatio 609
excedente 124	<i>Dentiscalpium</i> 16
- in carie a causa venerea	<i>Depressio</i> quid sit 338
conducunt 324	cranii quomodo tractanda 347
<i>calcis viua</i> in superficiario tantum	<i>Depressorium</i> instrumentum 16
sphacelo efficacia 95	<i>Diacope</i> quid sit 339
<i>vulneraria</i> quomodo paranda 331	<i>Dieresis</i> , qui affectus ad illam refe-
- vix necessaria ib.	rantur 6
- accusantur 334	<i>Dieta</i> in vulneribus 337
<i>Decubitus humorum</i> quid sit 3. 4	<i>Digiti</i> superflui 552
56	<i>Dilatatorium</i> oris 16
<i>Dedolatio</i> quid sit 339	<i>Dioptron</i> ibid.
<i>Deligatio</i> quomodo expedienda sit	<i>Diorthosis</i> 6
221	<i>Dioscorides</i> laudat euphorbium in
utrum in calore an frigore institu-	carie 322
enda 255	<i>Discussionis</i> negotium quid sit, & cui
per fascias longas qualia damna	incumbat 79
inferat in ulceribus 254	<i>Discutientia</i> quibus rationibus ad
in tumoribus tunicatis raro locum	strumas commendari possint
habet 160	213
in quibus excrefcentiis locum ha-	<i>Dissectio</i> 339
beat 221. 225	<i>Dislocatio</i> , distorsio 433
imperita sphacelum saepe inducit	<i>Disloichiasis</i> 586
91. 97	<i>Divinatio ex sanguine</i> post venæsectio-
justæ deligationis in fracturis signa	nem ut plurimum vana est
409. 410	483
interceptoriam ad hæmorrhagias	<i>Diuretica</i> profunt in inflammationi-
vulnerum sedandas circum-	bus 64
spekte adhibenda est 381	<i>Dolor</i> in cancro cujus indolis sit 301
<i>Dentes</i> artificiales 612	<i>Doloris</i> & ardoris suppuratorii ge-
eorum disiectio ib.	nuina causa eruitur 68
evulsio 610	mitigatio per stupefacientia in
molarium extractionem quid im-	quibus casibus locum habeat
pediat 611	144
gravidis non facile evelluntur ib.	<i>Dyghai pulvis sympatheticus</i> efficaci-
	am

I N D E X

am interdum habet in hæ-		<i>Emollientia</i> quænam sint	70
morrhagiis passivis	385	ad ruptionem abscessus commen-	
<i>Dysenteria</i> incongrue suppressa fistu-		dantur	ib.
las ani inducere potest	282	positiva nocent in inflammationi-	
<i>Dystocia</i>	652	bus	62
ejus prognosis	653	ad ambustiones commendantur	
quomodo medico auxilio suble-			100
vanda sit	654	in scirrhis non simpliciter appli-	
		canda	138. 139. 141. 142
		inseparabilem nexum habent cum	
		maturantibus	ibid.
		<i>Emphysema</i> quid sit	423
		<i>Emplastra</i>	49
		eorum coctionem chirurgi sui ju-	
		ris faciunt	50
		- errores circa hanc	ib.
		unde mollitiem accipiant	49
		debent habere durabilem molli-	
		tiem	ib.
		unde tenacitatem accipiant	50
		eorum usus	ib.
		poros obstruunt & transpiratio-	
		nem cohibent	69 70
		in levibus vulneribus adhibita	
		consolidationis tempus pro-	
		trahunt	332
		quæ consolidationem procrafti-	
		nant	254
		catagmatica in herniis concretio-	
		ni partium ansam præbent	
			205
		- in procidentia uteri lau-	
		dantur	178
		defensiva quænam sint	328. 329
		discutientia adversus ganglium	
		commendata	164
		qualia adhibenda sint tempore	
		mun-	

E.

<b>E</b> <i>ccchimosi</i> seu ecchymoma	129
unde oriatur	304
ab Hippocrate generaliter su-	
mitur	129
quomodo tractetur	130
<i>Eccope</i> quid sit	339
<i>Ectropium</i> quid sit	340
<i>Ectropium</i>	584
<i>Elephanten-Auge</i> quid sit	592
<i>Elevatorium</i>	16
<i>Embryulcia</i>	652
ejus prognosis	653
sumitur vel late, vel stricte	652
late sumta vocatur die Heb-	
ammen-Kunst	ibid.
stricte dicta quomodo instituenda	
	653
de hac scripserunt Solingen, De-	
venter Mauriceau, Iustina Sie-	
gemundin	654
<i>Embryulcus</i>	16
<i>Emetica</i> in tumoribus inflammato-	
riis exhibita ansam mortis præ-	
bent	64
vegetabilia sunt leniter septica	
	252

R E R U M.

*Emplastra*

mundificationis, & qualia con-  
solidationis 329  
largiter camphorata profunt in  
phlegmone 60  
mucida nocent in inflammationi-  
bus 62  
de Ammoniaco Foresti emollit  
& discutit 72  
- laudatur in phlegmone  
60  
de Betonica camphoratum com-  
mendatur in furunculo 79  
- est nervinum 72 389  
Diachylon simplex ejus concinna-  
ta formula taxatur 51  
- inspissatas & tenaces partes  
blande emollit 138  
- pro scopo emolliente ad-  
hibendum præfente notabili  
inflammatione 72  
- commendatur in furunculo  
78  
egregiam habet utilitatem in  
fcirrhis nondum apertis  
142  
Diachylon cum gummatibus  
mundificat & resolvit 79  
- fortius emollit, quam ro-  
borat 69  
- pro scopo emolliente ad-  
hibendum in mitiore inflam-  
matione 70. 72  
quando locum habeat in ulce-  
ribus 248. 255  
in ulceribus apertis præstat  
142

*Emplastra*

impedit novum affluxum 131  
- quomodo conservandum fit  
295  
Diapalmar. est nervinum 72  
- impedit novum affluxum 131  
Diaphoreticum Mynsichti quo  
respectu diaphoreticum nomi-  
nerur 168  
Foresti ad parotides ex causa fri-  
gidanatas 148  
Diaphoreticum Mynsichti est ner-  
vinum 72  
- novum affluxum avertit  
138  
laudatur in phlegmone 60  
ceratum de Galbano in fcirrhis  
partium musculosarum lau-  
datur 140  
e cera & mercurio dulci ad  
verruca laudatur 231  
glutinans describitur 266  
de Mililoto in furunculo com-  
mendatur 78  
- - it. in tumoribus  
œdematosis 169  
de minio commendatur in am-  
bustionibus 101  
- in furunculo 79  
- nigricans ad consolida-  
tionem vulnerum laudatur  
329  
nervinum Mynsichti 140  
Norimbergense seu de minio  
nigricans 79. 319  
aufert callum in ulceribus sim-  
plicibus 258  
im-

I N D E X

*Emplastra*

impedit novum affluxum 131  
 camphoratum difcutit & tonum roborat 248  
 opodeldoch Paracelsi 270  
 oxycroceum exæstuat scirrhus sanguineos, nisi temperetur empl. diaphoret. Mynsichti 140  
 Paracelsi ad synoviam laudatur 391  
 saponatum Barbette describitur 142  
 - modeste obstipat partes, & materiam inspissatam emollit ibid.  
 - laudatur in phlegmone 60  
 camphoratum commendatur in ambustionibus 101  
 Saturninum impedit novum affluxum 131  
 de spermate ceti camphoratum novum affluxum avertit 138  
 de spermate ranarum modeste cohibet affluxum ad partem inflammatam 60. 389  
 - laudatur in achoribus 256  
 quibus radicibus & herbis combinandum, ut defensivum evadat 329  
 - camphoratum in scirrhis inflammatis inservit 140  
 - in varicibus commendatur 118  
 stypticum Crollii est cicatrizans 73  
 - consolidandi scopo instar

*Emplastra*

omnium est 255. 258. 329  
 vesicatorii emplatri magnitudo 510  
 Vigonis de ranis cum mercurio in triplo 21  
 - compositione inane 51. 142  
 - efficax deprehenditur sub initium scirrhorum 142  
 - in venereis ulceribus egregium usum præstat ib.  
 - cæterum tanti non est pretii, quam famositatis ibid.  
 ad ulcera serpigiosa chronica 263  
*Empyema* modo in uno, modo in utroque latere reperitur 532  
 a causa interna periculosius est illo, quod a causa externa provenit 534  
 ejus paracentesis 539  
*Empyema* quomodo extinguendum in ambustionibus 100  
 104  
 veterum consilium ad id extrahendum damnatur 104  
*Encanthis* 588  
*Engiffoma* quid sit 340  
*Enterenchytes* 23  
*Enteroccele* 184. 187  
*Entero-epiplocele* 184. 188  
*Entero-epiplomphalus* 184. 186  
*Enteromphalus* ib.  
*Enteroraphia* completa a recentioribus rejicitur 367  
*Entblasis* quid sit 340  
*Epiphora* 273. 588  
*Epi.*

R E R U M

<i>Epiplocele</i>	184. 188	- in carie ossium laudatur	321. 323
<i>Epiplocephalus</i>	184. 186	aloes, croci, mumiaë in gangræna	88
<i>Epithema</i> ad parotides	146	laudantur	94
siccum in tumoribus oedematosis	169	aloes in sphacelo	94
<i>Epithemata</i> humida in erysipelate & phlegmone damnantur	62	absinth. cent. min. scord. card. ben. aristol. utr. gent. rubr. putredini resistunt	94
it. in oedematibus	169	balsamica describitur	71. 260
<i>Epulis</i>	613		389
<i>Equisetum</i> laudatur in prociencia uteri	178	commendatur in furunculo	79
<i>Erbgründ</i>	264	- in cancro efficax	309
<i>Erinacei</i> ad lenia septica pertinent	225. 246. 255	in levi carie efficax	321. 322
resolvunt fungos	255	- ad fracturas laudatur	413
<i>Erysipelas</i> quomodo differat a phlegmone	54	- vulneri immissa hæmorrhagiam resolvente & colliquante efficacia revocat	337
ejus signa	55	balsamica Stahlî corruptionem mitigat	328. 329. 331. 372
- causæ	56	ingruente sphacelatione commendatur	88
album quid sit	55	- putredini potenter resistit, & affluxum reprimat	338
retropulsus est periculosus	57	resistit ulcerationi canerosæ & consolidationem promovet	157
consuetudinale quomodo præcavendum	64	læsionum symptomata occupat	336
<i>Escbara</i> in vulneribus sclopetariis unde dependeat	372	- ejus usus in consolidatione ozanæ	289
<i>Essentiæ</i> abstergentes resinosa & amara ossibus amica sunt	266	it. vulnerum	329. 331
<i>Essentia</i> alexipharmaca leviter camphorata in vulneribus venentis non improbat	376	- ad absterfionem ulcerum laudatur	246
- Stahlî temperata in panaritio commendatur	127	in panaritio commendatur	127
Stahlî in tumoribus inflammatoriis laudatur	64. 146	- pro diversa vulneris conditione	
Aristolochiæ veræ consolidandi scopo commendatur	335	Rrrr	
<i>Junc. Chir.</i>			

I N D E X

*Essentia*

ditione diverse miscenda 335  
 346  
 balsamica præservandis & purifi-  
 candis ossibus conducit 296  
 - inspissata & cum vitello  
 ovorum in oleaginosam con-  
 sistentiam subacta sine sensu  
 applicari potest 337  
*fellis lucii* a quibusdam laudatur in  
 cataracta 604  
*hyperici* fortius adstringit 255  
*ligni quajaci* & sassafras in stasibus  
 duris venereis nihil efficiunt  
 295  
*Myrrha* hæmorrhagiam promo-  
 vet & putredinem cohibet 94  
 155  
 - in cancro egregie se gerit  
 312  
 læsionibus partium carnosarum  
 convenit 335  
*petasitidis* 64  
*radicis pimpinelle albæ* laudatur in  
 tumoribus inflammatoriis 64  
 in furunculo 79  
*succini* diatheses seri egregie cor-  
 rigit 256  
 - læsiones exsanguæ & ipsas  
 ossæas corruptiones solatur 253  
 336  
 - laudatur in cancro 308  
 309. 312  
 est remedium balsamicum in  
 ulceribus 256  
 in cancro leniendi habet effi-  
 caciam 309

*Essentia*

*succini* ossiculorum secessionem  
 promovet 547  
 - in febrilibus commotioni-  
 bus non convenit 79  
*vincetoxici* tanquam resolvens &  
 discutiens egregium ad strumas  
 laudatur 211  
*Esula* succus non arrodit verrucas,  
 sed peripheriam mollem 229  
 230  
*Euphorbium* a Dioscoride laudatur  
 in carie 322  
*Exaresis* 6  
*Excrementa* animalium volatilium  
 commendantur in ambustio-  
 nibus 101  
*Exciso* 339  
*Excrescentia* 209  
 differunt a tumoribus 6  
 circa anum 647  
*inguinales* non sunt confundendæ  
 cum bubonibus 203  
 peritam exposcunt sectionem  
 208  
 in meatu auditorio 606  
 verrucosæ in membro virili 648  
 uteri 176  
 in testiculis, inguinibus ad matu-  
 rationem non perducendæ  
 203  
 a stasibus humorum bene distin-  
 guendæ sunt 6  
 absumuntur a mercurio præcipi-  
 tato rubro 647  
*Excusio* applicatio 16. 549  
 -  
 Ex

R E R U M.

<i>Exomphalos</i>	183. 185. 208	tio in mitiore gangræna suffi-	
quando sectio instituenda	204	cit	88
<i>Exsiccantia</i> in oedematibus non pro-		<i>Fascia</i> , ejus definitio	25
sunt	168	- differentia	ib.
in ulceribus non ubique tuta	254	accipiter	33
	255	ampla in tumoribus oedematosis	
<i>Extensio</i> in fracturis quando necessa-		damnatur	170
ria	409	pro anevrysmate	40
quando non necessaria	408	ascialis seu repens	27. 43
in luxationibus necessaria	439	ad aures	32
non suscipitur præsentem magna		le bandage a dix huit chefs	43
inflammatione	440	a six chefs	30
sufficiens unde cognoscatur	409	cancer Sculteti	31
<i>Extractio</i> rerum peregrinarum	543	Galenii	30
	588	capitalis, capeline	31
<i>Extravasatio sanguinis</i> quomodo		capitium simplex, couvre chef	
tractanda	348	simple	29
<i>Œyter = Beule</i>	65. 75	- duplex, couvre chef	
		double	ib.
		- magnum, le grand cou-	
		vre chef	ib.
		- triangulare, le couvre	
		chef en triangle	30
		la capeline quando locum habeat	
		in hydrocephalo	31
		capistrum simplex & duplex	34
		cataphracta	35. 36
		chiasstre	42
		chirotheca completa	41
		- incompleta	ib.
		cingulum umbilicale	37
		circularis	28
		continens	27
		- capitis	34
		- colli	35
		cruciata	42
		dividens	27
		Rrrr 2	dis-

F.

<b>F</b> <i>abarum farina</i> leniter stringen-	
do discutit	140
<i>Facies</i> ardore solis combusta lacte	
virginis inungenda	101
granis pulveris pyrii conspurcata	
quomodo restituenda	ib.
<i>Fæces</i> vini vel cerevisiæ in gangræna	
laudantur	88. 89
<i>Fallopil puncta</i> alba sæpius fallunt in	
fissura cranii detegenda	343
<i>Farina fabarum.</i> vid. <i>Fabarum farina.</i>	
fecalina in tumoribus inflam-	
matoriis commendatur	633
- in molis dispersa hæmor-	
rhagiam sistit obturando	380
<i>Farinarum</i> cum camphora applica-	

I N D E X

<i>Fascia</i>		<i>Eascia</i>	
discrimen	32	reflexa	31
dolabra	28	regia, bandage royale	31
echarpe	41	repens	28
etoile	36	sandalium	44
l'etrier	44	scapha	31
expellens, expulsiva	28	scapularis	35
ad fistulam ani	39	sex capitum	30
pro fonticulo	40	sima	28
in fractura metacarpi	41	solaris, solaire	32
ad fracturam & luxationem rotu-		spica simplex	39
le	42	- duplex	40
funda	28. 33. 34	stapes	44
- Mons. Petit.	43	stellaris	32
ad lithotomiam	39	stellata	36
ganteler	41	subligaculum uteri	38
genuale dicta	42	suspensorium scroti	ibid.
Heliodori	36	- penis	37
Hippocratis, bonnet d' Hippo-		tau	33. 36
crate	30	testudo	42
jarretiere	42	triangularis oculorum	32
incarnans	27	post venæsectionem	33 40. 42
inguinalis simplex & composita	39	vinculum Solstrati	36
	39	umbellata	32
in luxatione carpi	41	uniens, unissant	27
- pollicis	ibid.	earum methodus applicandi	44
- ulnæ	ibid.	- cautela	45
mammillaris	37	<i>Faucium</i> abscessus	618
mitella	41	inflammatio	ibid.
monoculus	32	scirrhus	ib.
mouffe	28	<i>Favus</i>	264
obtusa	ib.	<i>Faux fanons</i>	13 42
oculus simplex l'oeil simple	32	<i>Saul. Gleisch</i>	227
- duplex l'oeil double	ib.	<i>Febris inflammatoria</i> unde	55
pertusa	34	num V. S. admittat	484
plastron	35	<i>Febriles calores furunculus</i> secum	
quadriga	35	trahit	76
			Fe-

R E R U M.

<i>Febres acuta</i> raro admittunt venæ-	- quomodo tractanda sit	348
sectionem		482. 483. 485
vulnerariæ prognosis	periculum earum est exsudatio	395
- an VS. requirat	& corruptio humiditatis	484
tractatio	quomodo tractandæ	329. 330
<i>Seder-Meißel</i>		51
<i>Seig-Warzen, Zacken</i>	<i>Sistel-Messer</i>	647
<i>Hel carpionum</i> in inflammationibus	<i>Fistula</i> , de his in genere	267
iners est remedium	ani	280
<i>lucii</i> a Sculteto in cataracta adhi-	- communiter exoritur a ne-	
betur	gotio hæmorrhoidali im-	
	pedito	80. 282
<i>Sell der Augen</i>	triplici via curari solet	283
<i>Ferrarii</i> linimentum in ambustioni-	<i>lachrymalis</i>	272
bus efficax	- differt ab epiphora, anchy-	
<i>Ferrum</i> frigidum efficax est in fu-	lope & ægilope	273
gillationibus recentibus	- hujus sedem Stahlius pri-	
<i>Verula</i>	mum detexit	274
<i>Vesuca</i> quomodo extrahendæ	- tres habet gradus	277. 278
	- methodus illam curandi	
	secundum Stahlum	276
<i>Seuer-Mähler</i>	secundum Anellum	ibid.
<i>Vibrarum tensio</i> est causa doloris &	- nova methodus	279
sensus punctorii & pulsabilis in	curandarum fistularum triplex	
inflammationibus	difficultas	269
<i>Ficus</i> quid sit	<i>Slechte</i>	261
<i>Bilii septimi</i> manus ganglia curare	<i>Fleisch-Karndffel</i>	184
dicitur	<i>Sliete</i>	21
<i>Eilum cruentum</i> per murem traje-	<i>Flores hyoscyami</i> Pancovius bubones	
ctum efficax fuit in strumis	discutere pollicetur	154
	<i>chamomilla</i> leniter resolvunt, &	
<i>Eimo vaccino</i> rusticus oedema cura-	nervinum effectum edunt	69
vit	<i>meliloti</i> , item	ibid.
<i>Sinnen im Gesichte</i>	<i>rosarum</i> leniter adstringunt & re-	
<i>Fissura</i> quid sint	liqua crasi temperant	130
	<i>sulphuris</i> conducunt post retro-	
difficulus dignoscuntur	pulsaulcera	157. 269
cranii prognosis	R r r r 3	Flo-

I N D E X

<i>Flores verbasci</i> laudantur in proci-	in hydrocephalo commendantur
dentia ani 182	174
<i>Stuß, gesaltener</i> plerumque est fa-	senibus non magis fluentes mor-
bula 250	tem præfagiunt 505
<i>Famina parturiens</i> quid observare	<i>Eorcipes</i> 16
debeat 656	<i>Eorestus</i> , ejus emplastrum ad paro-
<i>Extus</i> quando per partes excinden-	tides cum discretione adhi-
dus sit 659	bendum 148
- mortui extractio 654	furunculum præaliis descripsit 75.
<i>Folia &amp; radix bardanæ majoris</i> in	76
tumoribus œdematosis conve-	furunculo, quem descripsit, in-
niunt 169	dolem varorum tribuit 76
& cortex viridis sambuci recenter	ejus unguentum laudatur in pro-
concerpta laudantur in ulceri-	cidentia ani 182
bus venenatis 375	<i>Eorfishes</i> 18
petasitidis laudantur in œdemati-	<i>Formula sulphurata</i> qua cautela in
bus 169	tumoribus œdematosis adhi-
<i>Fontes salubres</i> efficaciam habent in	bendæ sint 168
contracturis 239	<i>Fornicatio</i> quid sit 340
<i>Fonticuli</i> 503	<i>Fossa Amyntæ</i> a Verduckio rejicitur
sunt ulcuscula artificialia 245	33
horum usus 503	<i>Fotus</i> ad luxationes 442
- abusus in futura coronali	calidus conducit in ambustioni-
505	bus 100
- methodus triplex 503	<i>Fractura</i> , de his generatim 404
e fede sua translati sponte conso-	earum prognosis 406. 407
lidantur 250	- differentia varia 404. 405
quomodo conservandi sint 504	simplex & complicata 406
quomodo deligandi sint 504.	quomodo tractanda 407. 408
505	cum comminutione seu contu-
diu gestati circumspecte consoli-	sione 412
dandi 5	de fracturis speciatim 415
incaute oclusi quæ damna affe-	carpi 427
rant 504	claviculæ 417 sqq.
quando ad musculosas partes	costarum 421 sqq.
feruntur, coalescunt 250.	cranii, quomodo tractanda sit
505	582. 583.
	Fra-

R E R U M.

<i>Fractura cranii</i>		<i>Fratris Jacobi methodus lithotomiæ</i>	
- signa	342		638. 644
- prognosis	344	<i>Frictiones</i> commendantur in pernio-	
cubiti	426	nibus	107
digiti	428	<i>Größschlein</i> unter der Zungen	614
digitorum in pede	432	<i>Fulmine tacti</i> nonnunquam restitu-	
femoris	428	untur	99
maxillæ inferioris	416	<i>Funda</i> ad lithotomiam	3. 4. 43
metacarpi	427	<i>Fungus</i>	214
metatarsi	432	differt a carne luxuriante	215
nasi	415		227
ossis coccygis	425	in membranaceis partibus oritur	209
- humeri	ib.	non dependet a stasi humorum,	
- sacri	424	sed ab irregulari fibrarum	
rotulæ, seu patellæ	430	textura	215
scapulæ	420	quando irritatur fit dolorificus	215
sterni	ib.		217
tarsi	432	non tolerat arsenicalia	217
tibiæ	431	confirmatus ægerrime extirpa-	216. 217
vertebrarum	424	tur	
cura fracturarum	407. 408	major per Hildanum effectus	217
interdum iis insolitum quid con-			18
tingit	415	<i>Furca</i> Bidloi	
congestionem rheumaticas indu-		<i>Furunculus</i>	74
cit	407	vocatur etiam carbunculus beni-	
recte non reposita de novo fran-		gnus	81
genda	411	quomodo differat ab apostemate	74. 75
nulla per se lethalis est	406	sub apostemate etiam stare potest	66
gravidarum difficillime consoli-		simplex fistulosam constitutio-	
datur	407	nem interdum subit	80
<i>Frenuli</i> incisio	614	plures ramulos occupans a Fo-	
solutio	648	resto descriptus	75. 76
<i>Fragmenta</i> cranii unde dignoscantur		ipsi varorum indoles tribuitur	76
	343		
ossis, quomodo tractanda sint	409		
- quando iterum coalescant	ibid.		
		<i>Furun-</i>	



K E R U M.

*Globuli*

<i>sclopetarii</i> gravitate sua profundius deflectunt	543
sectione nonnunquam extrahendi	544
<i>vitriolici</i> sua habent incommoda	558
ossi impressi hujus interdum trepanationem requirunt	545
<i>extrahendorum globulorum</i> duplex instrumentum	544
- cautela	544. 545
<i>Glossocomum</i>	18
<i>Gluten</i> <i>scriniariorum</i> hæmorrhagiam fistit obturando	380
<i>Gonorrhœa</i>	291
<i>Gorgoris</i>	14
<i>Grando</i> in oculis	585
<i>Gummi ammoniac.</i> leniter resolvit, & nervinum effectum edit	69
bdellii, item,	ibid.
<i>Gummi elemi</i> est egregium balsamicum in partibus nervino-membranosis	336
<i>sagapenum</i> minus acre quam galbanum, hinc tam fortiter non resolvit	165
<i>Gummata gallica</i> maximi sunt momenti in tendinosis partibus	296
<i>Göldene Stich</i>	197. 205
<i>Gutta rosacea</i>	119. 120
serena unde nomen accepit	594

H.

<i>Haar-Schnur</i>	505
= <i>Wurm</i> quid sit	123
<i>Junck. Chir.</i>	

*Hæmorrhagia* arteriarum & venarum

	379
- pulvis ad hæmorrhagias compescendas	380
- aliud remedium magma aluminosum	ibid.
ebriorum & iratorum præmaturre non sistenda	330. 382
post sectionem bubonum pestifentialium & scirrhorum cancroforum cito non cohibenda	155
nova post sectionem aliquamdiu toleranda	545
ossium fracturam sequens ut plurimum excedit	379
quomodo in extirpatione mammæ cancerosæ sistenda	317
vulnerum	377
- mature cohibita summe periculosa	330. 378. 382
- in levioribus vulneribus toleranda	331
nimia debilitates partis chronicas relinquit	381
- quamdiu toleranda	382
- - in partibus amputatis	557
- secunda quid confirmet	379
- - majoris est considerationis, quam prima	383
	379
triplici modo sistitur, nempe ob- turatione, coagulatione & ad- strictione	379 sq.

S s s s

He-

INDEX

<i>Hæmorrhagia</i>		<i>Althea</i> maturantem habet effe-	
- præsentè inflammatione per		ctum	70
acida non debet fisti	381	<i>Arnica</i> in contusionibus admiran-	
in cancro exoriens quomodo tra-		dam habet efficaciam	370
ctanda	313	<i>Bellis minor</i> leniter adstringit	59
<i>Hæmorrhoides cæcæ</i>	647	<i>Beta</i> ejus aqua fervida cocta con-	
- ad furunculum pertinent	80	solidationem vulnerum pro-	
<i>nothæ</i>	647	mover	335
- quomodo extirpandæ sint		<i>Chelidonii majoris</i> fundendis hu-	
ibid.		moribus aliquid contribuit	169
earum motus in fistula ani		<i>Equiseti</i> laudatur in procidentia	
curationem impediunt	285	uteri	178
<i>Zagel-Korn</i>	585	<i>Hyperici</i> num consolidationem	
<i>Hamulus</i>	18	promoveat	335
<i>Harvei tractatus de curatione mor-</i>		<i>Charesfolii</i> leniter adstringit	59
borum per expectationem		<i>Hyoscyami</i> commendatur a Para-	
allegatur	534	celso ad ulcera placanda	313
<i>Zebammen-Kunst</i>	652	<i>Lapathi nigri</i> laudatur ad ulcera	
<i>Hedra</i> quid sit	339	scorbutica	288
<i>Zest-Pflaster</i>	331	<i>Lunaria</i> a Carrichtero in cancro	
<i>Zeisse Brand</i>	86	commendatur	317
<i>Helmontii spes de sapphiro in anthra-</i>		- racemosa laudatur a Car-	
<i>ce pestilente</i>	85	richtero in cancro ulcerato	311. 317
ejus qualitate exotica in vulneri-		<i>Malva</i> maturantem habet effe-	
bus non indigemus	327	ctum	70
<i>Helvetius malleo ligneo ganglium</i>		<i>Nicotiana</i> licet sensibilitatem in-	
percutere docet	165	ducat, consolidationem tamen	
illius salivatio per cuprea medica-		promover	335
menta rejicitur	296	- prodest ad callum auferen-	
<i>Hemeralopia</i> quid sit	594	dum	257
<i>Herba Acanthii</i> laudatur a Borello ad		<i>Onopordon</i> , seu acanthion dicta, ad	
carcinomata	311	Borello & Stahljo laudatur ad	
& ad ulcera faciei cancerosa	316	ulcera faciei cancerosa	311
<i>Agrimonia</i> recens efficax est in			316
sugillationibus	130. 131		

*Her-*

R. E. R. U. M.

*Herba*

*Parietaria* maturantem habet effectum 70  
*Perfoliata* num specificum sit remedium ad herniam scrotalem 208  
*Perficaria* obscurioris est experientiae in amuleticorum & sympatheticorum censu 385  
*Petastidis* laudatur in tumoribus oedematosis 169  
*Potridis* resolvit, spasmos demulcet & orgalmum lenit 311  
*Saponar.* hujus decoctum laudatur in parotidibus 147  
*Sedi vermicularis* commendatur in pernionibus 107  
*Solani furiosi* in cancro nondum satis probata est 314  
*Sophia chirurgorum* quid possit in fracturis 413  
*Symphyti majoris* num consolidationem repente promoveat 335  
 - quid possit in fracturis 413  
*Tabaci* mundificandis & consolidandis vulneribus efficacissima est 328  
*Hernia* 183  
 earum caussa num ruptura vel relaxatio sit, practicam non habet utilitatem 189. 190  
 de modo prolapsus specialiore dissentiunt auctores 191  
 quibus intestinis formentur 190

dividuntur in veras & spurias 183  
 simplices & duplices 186  
 carnosae seu spongiosae 210  
 completae in faeminis aequae fieri possunt 191  
 compositae quomodo tractentur 204  
 impropriae multas in operationibus involvunt difficultates 193  
 nova, eaque incompleta 198  
 inveterata, quomodo tractanda ibid.  
*humoralis* 585  
*inguinales*, quomodo tractandae sint 199  
 - in faeminis interdum supra inguina formantur 187  
*omentalis*, quomodo a varicosa dignosci possit 185  
*scrotales*, quomodo tractandae sint 195  
*spuriae* 191  
*ventrales* 204  
 - quomodo tractandae sint 200  
*umbilicalis*, quomodo differat ab inguinali 185  
 - raro in ipsius umbilici medio erumpit 186  
 - quomodo tractanda sit 194. 195  
 - ejus prolapsus contingit duplici modo 204  
 earum maximum periculum est incarcerationio 192

I N D E X

<i>Hernia umbilicalis</i>		in auribus quomodo extrahenda sint	548
- restitutio difficilis, praesertim in annosis	192	in faucibus haerentia quomodo educenda sint	ibid.
non inducunt sterilitatem	193	in oculo quomodo extrahenda sint	ibid.
propriae quomodo curandae	ibid.	<i>Heurnii</i> querela de cancri cura, quo fundamento nitatur	306
recentes spem curationis promit- tunt	192. 193	<i>Hildani</i> enchiresis in ambustionibus	104
earum operatio quando suscipi- enda	195. 196. 199	observatio de siccitate alvi	531
- cura per transplantationem	205. 206	<i>Hippocrates</i> errorem practicum con- fiteri non erubescit	343
experientiae raro respondet	206	quinque cranii laesiones obser- vavit	338
impropriae quomodo curandae	201	nulla artificia ad sistendam sync- viam chirurgis dare voluit	390
<i>Herniarum</i> portentosa exempla	207	<i>Hirudinum</i> divisio in benignas & malignas	496
<i>Herniotomi</i>	195. 206	virulentia traditioni veterum su- perstructa est	501
<i>Herniotomia</i> 195. 196. 199. 205. 206		nutrimentum	496
quid aegri post eam observare de- beant	207	praeparatio	498
<i>Herpes</i>	122	usus generalis	497
quomodo differat ab erysipelate	123	- specialis	ibid.
est vel benignus vel malignus	ibid.	- specialissimus	498
- simplex vel exulceratus	ib.	applicatio	495. 647
<i>Ἐδιόμενος</i> quid sit	ibid.	- in intestino recto	500. 501
- nimis exedens exposcit de- cocta antivenerica	124	farcomati cum effectu applicantur	219
	263	applicandarum methodus	498
miliaris quid sit	123	sqq.	
a varis & gutta rosacea serpendo tantum se distinguit	ibid.	applicationi non debent subjungi adstringentia	501. 502
<i>Heterogenea</i> , si fieri possit, mox e vulneribus educenda	333. 545	quae intestinum rectum ingressae, quomodo eliminantur	501
quam cautelam requirant	333		501
	545 sq.		501

306ter

R E R U M.

<i>Zöcker</i>	626	<i>Hydrophthalmia</i>	592
<i>Hordeolum</i>	585	<i>Hydrops pectoris</i>	532
<i>contactu manus mortuæ curatum</i>	220	<i>scroti</i>	185. 188. 193
<i>Humida epithemata in œdematibus</i>		- <i>quomodo tractandus</i>	202
<i>improbantur</i>	169	<i>Hydro-Sarcocele</i>	186. 189
<i>it. in ulceribus</i>	255	<i>Hyoscyamus</i> <i>externe in cancro lau-</i>	
<i>Humor melancholicus in cancro</i>	304	<i>datur</i>	313
<i>Humorem aqueum natura restituere</i>		<i>ejus folia in carbunculo solent</i>	
<i>potest</i>	605	<i>laudari</i>	85
<i>Humorum corruptiones quomodo</i>		- <i>flores in bubonibus</i>	154
<i>differant</i>	4	<i>Peruvianus seu Tabacus</i>	313
<i>motus adfuefacti ad certam par-</i>		<i>Hyperici</i> <i>essentia impetuosam cor-</i>	
<i>tem follicite considerandi sunt</i>	5. 444	<i>ruptionem cavet</i>	143
<i>retropulsiones in foro chirurgico</i>		<i>Hypogastrocele</i>	183
<i>magnum damnum inferunt</i>	9	<i>Hypopyum</i>	590
<i>Züner-Augen</i>	232	<i>ejus cura</i>	ibid.
<i>Hydatides</i>	586		
<i>Hydrocele</i>	184. 188		
<i>differt ab hydrope scroti</i>	185		
<i>infantibus &amp; pueris familiarior</i>	193		
<i>quomodo tractanda sit</i>	201		
<i>Hydrocephalus</i>	171		
<i>unde inducatur</i>	172. 173		
<i>est vel externus vel internus</i>	171		
<i>internus est affectus calamitosus</i>	172		
<i>multorum annorum est affectus</i>			
<i>rarissimus</i>	173		
<i>quomodo tractandus</i>	173. 174		
<i>ejus operatio periculosissima</i>	174.		
	175		
<i>Hydro enterocoele</i>	186. 189		
<i>Hydromphalus</i>	148. 186.		
<i>ejus cura</i>	242		

I.

<b>I</b> gnis <i>calore suo particulas subti-</i>	
<i>les dissipat</i>	95
<i>plus penetrat &amp; curat quam fer-</i>	
<i>rum</i>	155
<i>Illisio</i>	340
<i>Imaginatio</i> <i>quid possit ad excrescen-</i>	
<i>tias</i>	212
<i>Imperforati</i>	522
<i>Imperforatio urethræ</i>	630
<i>Impetigo</i>	264
<i>Impfung</i> <i>quid sit</i>	608
<i>Incisio fistulæ ani quomodo peraga-</i>	
<i>tur</i>	284
<i>gingivæ</i>	613
<i>frænuli</i>	614
<i>Incisiones</i>	339. 516. 520
<i>præmaturæ quæ damna inferant</i>	
	71
S s s s 3	In-

INDEX

<i>Incisiones</i>		<i>Instrumenta specialius ita nominata</i>	
secundum longitudinem num			19
præferendæ eis, quæ transver-		<i>Instrumenta chirurgica</i> ordine alpha-	
sim fiunt	71	betico recensentur	12 sq.
panaritii incisio quomodo insti-		licet multa sint, artis tamen defe-	
tuenda	128	ctum non compensant	8
in umbilico num institui possint		virulentis vulneribus adhibita be-	
	204	ne mundificanda sunt	492
<i>Indusum</i> sudore emortuali madidum		<i>Introcessio</i>	338
ganglia curare dicitur	165	<i>Itinerarium</i>	13
it. verrucas	231		
<i>Infortunium</i> Hippocratis quid sit		K.	
	339. 396	<i>Kaiserliche Schnitt</i>	627
<i>Inflammatiō</i> : ejus definitio	54	<i>Kalender</i> in den Gliedern,	
- causæ	56	unde proveniat	252
- prognosis	57	<i>Kerkringius</i> & Burrhus promittunt	
- signa	55	vilus restitutionem, licet om-	
tres habet species	54	nes humores effusi sint	
a causis internis sub initium non			351
requirit topica	64	<i>Kopfs-Nath</i>	559
ejus discussio, qua cautela cum		<i>Kopfs-Zieher</i>	24
camphora instituenda	63	<i>Korn-Dänglein</i>	17
retropulsa sola interna requirit		<i>Krag-Eisen</i>	19
remedia	65	<i>Krebshafter Schaden</i>	135. 299
Chirurgis inflammatione non		<i>Kropf</i>	209
sunt committendæ	8	<i>Kupfer-Zandel</i> quid sit	120
<i>Inflammatorius</i> motus refrigeranti-		<i>Kürass</i>	35
bus aut adstringentibus non est		<i>Kürschners-Nath</i>	559
tractandus	139		
tumor in luxationibus, quomodo		L.	
tractandus	443	<i>Labium</i> leporinum	562
<i>Injectiones</i>	510	<i>Labiorum</i> cancer	608
harum modus applicandi	514	<i>Lac</i> emolliente scopo laudatur ad	
- quantitas	513	contracturam	240
in uterum	179		
in profundis læsionibus egregium			
habent usum	511		

*Lac*

R E R U M.

<i>Lac</i>		tur	377
ad corruptionem mucosam prom- ptius est	5	<i>tonitrualis</i> vulgo laudatur ad na- vos maternos	237
<i>Luna</i> callum promovet	411	<i>Lardum</i> ad clavos pedum laudatur	233. 234
<i>Virginis</i> conducit in facie ardore foliis combusta	102	<i>Laryngotomia</i>	621
<i>Lacertarum</i> efficacia ad strumas	212	<i>Lasß-Eisen</i>	21
- ad œdemata	170	<i>Laxantia rhabarbarina</i> profunt in varis & gutta rosacea	121
- <i>oleum</i> commendat Scultetus ad strumas	211	leniora in inflammationibus, quando concedantur	64
<i>Lactones</i> , earum restitutio differt se- cundum temperamenta	5	per <i>epicrasin</i> laudantur in scirrhis sanguineis	136
exsanguis in ulcus transeuntes, fiunt sensibiles	336	- in contractura & aridura	240
cur in junioribus promptius re- staurantur	5	<i>L'eau d'arquebuse</i> , quid de hac aqua vulneraria notandum	334
cranii	338. 354	<i>Leibes-Flüsse</i> quid sint secundum Paracellum	388
<i>Lagophthalmos</i>	584	<i>Leporis sanguis</i> , hunc specificè lau- dare solent in inflammationi- bus	64
<i>Lanceola</i>	20	quomodo applicandus	ibid.
<i>Langii</i> remedium preservatorium ad panaritium	128	<i>Lethalitas vulnerum</i>	392
<i>Lapis causticus</i> unde paretur	540	triplici sensu sumitur	ibid.
<i>Hematites</i> & <i>Jaspis ruber</i> in levibus porosarum partium vulneribus hæmor- rhagiam sistunt	385	<i>Levcoma</i>	588
<i>Infernalis</i>	540	<i>Ligatura</i> antiquorum in herniis um- bilicalibus hodie rejecta est	200. 204
- seu causticus in fonticulis ponendis adhibetur	333	excresecentiarum quomodo admi- nistranda	221
<i>medicamentosus</i> Crollii specificè laudatur in tumoribus inflam- matoriis	64	in fistulis ani rejicitur	283
- commendatur in varis	122	fortis in parte amputanda impro- batur	96
- laudatur in herpete	124	sphacelum causari potest	91. 97
<i>Serpentis India</i> num venenum ex- trahat, experientiæ relinqui-		vulnerum exposcit cautelam	338
		<i>Liga-</i>	

I N D E X

*Ligatura*

in superna parte laxa & in parte affectata strictior rejicitur	241
<i>Lignum coryli</i> , ejus usus sympatheticus laudatur a Borello in contusionibus	413
<i>fraxini</i> circa solstitium æstivum casum quid efficiat	ib.
- num necessario certo tempore casum esse debeat	502
- commendat Borellus ad fluxum sanguinis sistendum	502
- in vulneribus recentibus levibus hæmorrhagiam sistit	385
<i>fulmine tactum</i> vulgo laudatur ad navos maternos	237
<i>Lingua</i> cancer	615
<i>Lini oleum</i> commendatur in pernionibus	107
<i>Linimentum</i> in ambustionibus	102
ad perniones	107
ad luxationes	442
ad ulcera scorbutica	287
<i>Linteum</i> carptum non rasum debet adhiberi in vulneribus	51
<i>Liquamen myrrhe</i> virtute sarcotica & balsamica præditum est	260
ad vulnerum mundificationem laudatur	328
<i>Litbotomia</i>	632
ejus differentia	ib.
- signa	633
cum magno apparatu	637

*Litbotomia*

cum parvo apparatu	636
ejus prognosis	635 sq.
- quatuor methodi	636 sqq.
- methodus alta	637
- - antiqua seu Celsi	636. 638. 639
- - nova seu majoris apparatus	637. 640 sq.
- - Franconica seu alti apparatus	637. 643
- - secundum fratrem Jacobum	638. 644
renalis est negotium periculosissimum	635
ejus cautela	644 sqq.
<i>Lixivia sulphurata</i> qua circumspeditione in oedematibus adhibenda	168
<i>Lixivium calcis vive</i> compositum quomodo paratur & quid præstet	288
<i>hepatis sulphuris</i>	266
<i>Lobuli perforatio</i>	608
<i>Lorum Hildani</i>	20
<i>Lorum e corio humano</i> non nisi pressione agit in strumis	214
<i>Ludovici</i> sententia de parotidibus tractandis	147
<i>Luis venerea tres gradus</i>	391
cura non competit chirurgis	10
	291
<i>Lumbricorum</i> alligatio ad panaritium experientia non ubique commendat	125. 127
<i>Lunæ mutatio</i> an symptomata vulnerum exasperet	355
in	

## R E R U M

<i>Luna mutatio</i>	
in venæsectione observanda	478
<i>Luxatio</i> , de iis generatim	433
earum prognosis	438
- varia differentia	433. 434
- curatio	439
de iis speciatim	445
carpi	464 sqq.
claviculæ	448. 450
coccygis	454. 456
costarum	456. 457
cubiti	461. 463
digitorum	466
femoris	467. 469
fibulæ	471
humeri	457
- quatuor modis restituitur	459. 461
manus	464 sqq.
maxillæ inferioris	445. 448
metacarpi	464 sqq.
nasi	445
pedis	471
rotulæ	470
tibiæ	ib.
vertebrarum	450. 454
notabilis luxationis casus	444
earum repositio quomodo fiat	441
cum fractura concurrens prius,	
quam hæc, reponenda	412
	443
<i>Lympha</i> qualem corruptionem sub-	
eat	4
falsa sanguinem quasi salit	90

## M.

<b>M</b> <i>Achina tensoria</i> , quales horo-	
logia parva habent, ad deli-	
gationem excrementiarum	221
<i>Machina tractoria</i> Vitruvii	20
<i>Mähler</i> , blaue	129
Feuer- Mutter-	235
<i>Magen-Bürste</i>	16. 549
<i>Magnes arsenicalis</i> in carbunculo fo-	
lerlaudari	85
<i>Malleus</i> ligneus	20
<i>Malum mortuum</i> quid sit	526
<i>Mamma cancrofa</i> extirpatio	317
- - amputatio	556. 625
<i>Maniaci</i> catena ligati in tibiis facile	
ulcus cariosum accipiunt	324
<i>Manus filii septimi</i> ad excrecencias	
laudatur	165. 212
<i>mortue</i> contactus laudatur	
ad excrecencias	212. 220
- - ad nævos maternos	236. 237
- - in sarcoccele	208
<i>Marianus</i> primum docuit lithoto-	
miam cum magno apparatu	637
<i>Marisci</i> quid sint	647
<i>Martialia</i> calcinata in ulceribus su-	
perificialibus commendant Pa-	
racelsus	254
<i>Mastichina</i> non tam adstringunt,	
quam tonum roborant	217
<i>Mast-Körner</i>	647

I N D E X

<i>Materia</i> peculiari folliculo inclusa, quomodo eximenda sit	521	<i>Mel</i>	de vulgo trahere dicitur	332
<i>purulenta</i> , a quibus suspecta redatur	533		non convenit partibus tendinosi-	
- qua ratione evacuanda sit	72		ligamentosis & aliis exsanguibus, ob fermentativam acrimoniam	332
- pleurae, pericardio vel mediastino inclusa certo dignosci non potest	533		rosaceum in sphacelo commendatur	94
quae in pleura haeret, minoris est periculi, quam quae in pulmonibus, pericardio & mediastino	534	<i>Mellita</i> soli centro in furunculo applicanda sunt		80
<i>Maturantia</i> quanam sint	70	<i>Melicerides</i> ossa arrodere observantur		159
fortiora in furunculo improbantur	79	<i>Meliceris</i>		158
<i>Maturiv-Sälblein</i> in apostematibus rejicitur	72	<i>Melon</i>		591
<i>Meatus auditorii</i> clausi apertio	527	<i>Membri virilis</i> cancrosa constitutio		648
- excresecientia	ib.	<i>Meningophylax</i>		20
<i>Meckren</i> peculiarem cultellum ad excresecientias gingivae describit	613	<i>Meninx dura</i> laesa quomodo tractanda		583
<i>Medicorum</i> conniventia damnum parit	8	<i>pia</i> laesa quomodo tractanda	ib.	
<i>Medico-chirurgi</i> longe distant ab empiricis	ibid.	<i>Mentis fictio</i> magnae est efficaciae	236	
qui fuerint	ib.	<i>Merklinus</i> de ortu & occasu sanguinis transfusionis scripsit	494	
<i>Medulla saxorum</i> callum promovet	411	<i>Mercurii</i> effectus in cataracta quo casu detectus sit	604	
<i>Meissel</i>	27. 52	<i>Mercurialia</i> , eorum commendatio in ulceribus cum grano salis accipienda	143	
<i>Mel</i> efficaciam resolventem habet	254	nocent in tumoribus tunicatis ulcerascentibus	161	
fermentativam efficaciam possidet	70	ulcera communia in tabum confluere faciunt	253	
suppurationem fortius juvat, un-		in ulceratione venerea efficaciam habent insignem	253. 324	
		efficaciter colliquant inquinamentum venereum	294	
		in ulceribus ex scirrhis natis circum-		

R E R U M

*Mercurialia*

cum specte adhibenda	143
in ulceribus venereis spasmos tollunt, in reliquis augment	ib.
septica, exceptis venereis affectibus, vix unquam tolerabilia	vid. Tab. de uestione
nocent in cancro	314. 316
non conducunt in narium corrosionibus venereis	323
nocent ossibus	296
a carie ossium sunt excludenda	324
quænam sint optima	295
<i>Mercurius dulcis</i> sepius est septicum	253
- a nonnullis laudatur in herpete	124
- ad duo grana quotidie sumtus utiliter adhibetur in ulceribus venereis	296
- item ad resolutionem scirrhorum	143
<i>præcipitatus albus</i> parum differt a dulci	295. 296
- magis alterat, ruber majorem sepsin exferit	296
- <i>ruber</i> , quænam illius formula rejiciatur	295
- - mitissimus est	253
- - est septicum mediæ efficacix	324. 333
excrecentias venereas absorbunt	294. 295
fordes fungosas venereas egregie abstergit & spasmos mitigat	295

*Mercurius*

<i>sublimatus</i> visibiliter corrodit & duo motuum extrema inducit	253
- <i>corrosivus</i> atrocissima symptomata inducit	297
<i>Metallica</i> corrumpunt dentes	324
ossa reddunt cariota	385
<i>Metastasis febrilis</i> . vide apostasis	
<i>Metrenchytes</i>	20. 24
<i>Milch-Staar</i> quid sit	595
<i>Millepedum</i> usus specificè laudatur a Boyleo in cataracta	604
<i>Mixtura ad stomacacem</i> commendatur	610
<i>Modiolus mas</i>	20. 578
fœmina	ibid.
<i>Monile plumbeum</i>	214
<i>Morbus Anglicanus</i>	660
<i>Morphæa</i>	120
<i>Morsus</i> animalium rabidorum	374
Simiarum periculosissimus	377
<i>Motus corporis</i> discerpit & resolvit stagnantes humores	108
- ad scirrhos commendatur	143
<i>natura</i> in chirurgia æque attendendi	5. 6
<i>vitales</i> , eorum desertio in sphacelo unde dependeat	92
<i>spastici</i> venæsectionem indicant	486
<i>Moxa Indorum</i>	508. 542
ex artemisix lanugine paratur	541
prioribus annis arthriticis affectibus	
Tttt 2	bus

I N D E X

bus adhibebatur	542	<i>Myrrha</i>	
<i>Mumia</i> amuletiſtarum quid ſit	231	laudatur in cancro	309
Mund-Klemme	612	- it. in carbunculo	84
Mund-Schraube	14. 16. 612	ejus Effentia hæmorrhagiam pro-	
<i>Mundificatio</i> æqualis quam neceſſa-		movet & putredinem cohibet	
ria ſit	250		155
<i>Muntingii</i> tractatus de herba Britan-		- læſionibus partium carnoſa-	
nica	288	rum convenit	336
<i>Mures</i> vivi in ſtrumis efficaces ha-		- impetuoſam corruptionem	
bentur	212	cavet	143
<i>Muriatica</i> aqua in gangræna laudatur		- oleum per deliquium com-	
	88	mendatur in pernionibus	
<i>Muſtani</i> cataplaſma in peſtilente			107
carbunculo experientiæ relin-		- it. in ulceribus faciei can-	
quendum	85	croſis	316
Mutter-Clyſtier	24		
Mutter-Mähler	235	N.	
Mutter-Senckung	175	<b>N</b> adel-Zalter	19
Mutter-Sturz	176	<i>Navi materni</i>	235
<i>Muſſichti</i> empl. diaphoret. novum		quomodo contingant	209. 236
affluxum avertit	138	probant dominium animæ in cor-	
<i>Myocephalon</i>	591	pus	235
<i>Myrmecia</i>	229	variã habent indolem	ibid.
<i>Myrrha</i> læſionibus apertis convenit,		repentino terrore nonnunquam	
non occultis	140	deſtruuntur	235. 236
carnofas partes reſtaurat	335	quomodo exſtirpandi	236
promovet ſarcofiſin	73. 253	primis diebus ipsis occurrendum	
ejus liquamen virtute ſarcotica &			237
baſamica præditum eſt	260	paulo capaces non ſunt tangendi	
- ad vulnerum mundificatio-			237
nem laudatur	328	<i>Narcotica</i> ex hyoſcyamo & tabaco in	
corruptiones potentiffime inhi-		ſcirrhis apertis locum habent	
bet	73. 309		144
ad purificationem dentium lauda-		<i>Nafen-Gewächſe</i>	222
tur	610	<i>Nafi artificialis</i> appoſitio	608
ſanguinis ſpirituofitatem inducit			
	73		

*Natta*

R E R U M.

<i>Natta</i> quid sint	218	<i>Nux</i>	
earum exsectio	222	<i>cupressa</i> laudatur in procidentia	
<i>Natura autocratia</i> eminenter concurrat in affectibus chirurgicis	5	uteri	178
morus salutare in chirurgia æque ac in medicina observandi sunt	6	<i>Nyctalopia</i> quid sit	594
<i>Nied=Ulagel</i> quid sit	126	<i>Nympha</i> nimis magnæ quomodo auferendæ	651
<i>Nervi incisi</i> majus periculum alunt, quam discissi	395	O.	
eorum <i>punctura</i>	482	<b>O</b> <i>Bauditis</i>	607
- - quomodo tractanda	ibid.	<b>Ober-Bein</b>	162
<i>Nervina</i> cum septicis conjungenda in fungis	217	<i>Oculus cancri</i> ad res heterogeneas in oculum illapsas applicatur	548
<i>Nitrosa</i> moderate exhibita ardorem & dolorem in vulneribus con-temperant	330	<i>Oculi cancri</i> citrati vel vino imbuti excretiones urinæ promovent	330
<i>Nitrum</i> mitigat ardorem in vulneribus sclopetariis	372	- ardorem ac dolorem con-temperant in vulneribus	ibid.
sensum doloris in ambustionibus demulcet	101	- callum promovent	411
egregie convenit in phlegmone	63	<i>Oculus artificialis</i>	21.593
<i>Nix</i> ad perniones commendatur	106	<i>lacrymans</i>	588
<i>Noli me tangere</i>	315	<i>leporinus</i>	584
<i>Nuckii</i> subligaculum, quo urinæ egressum inhibere conatur, votis non ubique respondet	646	- hujus cura	585
<i>Nux vomica</i> in herniis infantum non temere suadenda est	207	vitreus vel aureus	21
in animalibus quidem non æque in hominibus deleterium effectum habet	ib.	<i>Oculorum verruca</i>	585
		<i>ambustiones</i> quomodo curandæ	102
		<i>symphysis</i> quomodo tractanda	523. 525. 526. 584
		<i>exsectio</i> quomodo instituenda	592
		<i>lesiones</i> chirurgis non promiscue tradendæ	355
		<i>Oedemata hydropica</i> calore resolvuntur, & frigore redeunt	170
		<i>particularia</i> frigore pereunt & calore turgent	ib.
		quomodo tractanda	167
		T t t t 3	non

I N D E X

non debent cito repelli	ibid.	<i>Oleum cinnamomi</i>	- in sphaelo commendatur
<i>Oel-Schenckel</i> quid sint & unde proveniant	62		94. 97
<i>Olea destillata</i> in scirrhis sanguineis nocent	140	<i>colophon.</i> efficacius est in pernio- nibus, quam balsamus sulphu- ris	107
<i>expressa</i> ad maturationem abscef- fus commendantur	70	<i>Florum tritici</i> laudat Prævotius ad cancrum ulceratum	311
<i>Oleum Amygdalarum dulcium</i> pro- mover maturationem	70	<i>Fuliginis</i> , ulcuscula abstergit	262
<i>Anisi</i> eximie laudatur a Foresto in contusionibus impuris	61	- laudatur ab Hartmanno in cancro ulcerato	311
<i>Aranearum</i> ad ictum vesparum præsentissimum est remedium	376	<i>Iuniperi</i> nocet in inflammationi- bus	62
- ad strumas commendatur	211	<i>Lacertarum</i> commendat Scultetus ad strumas	211
<i>Bufo</i> nis a Foresto laudatur in oc- dematibus	170	<i>Laterinum</i> reliquis lenibus septi- cis facem præfert	252
- commendatur idem a Bo- rello in strumis	211	- cum oleo ovorum discon- tinuatur	262. 309
<i>caryophyllorum</i> efficax est in carie	321. 323	- cum oleo ovorum aufert callum	258
- usum habet in ossium pala- ti arrosionibus venereis	323	- in scabie hæreditaria effi- cax est	266
<i>cera</i> ulcerationes egregie demul- cet	253	- ulcera renovat, & ad re- stauracionem viam sternit	265
- ulcerosam corruptionem leniter promovet	260	<i>Ligni Quajac. &amp; Sassafras</i> ultra metam a Paracelso laudantur	295
<i>camomilla</i> promovet maturatio- nem	70	<i>Liliorum alborum</i> promovet ma- turationem	70
<i>cinnamomi</i> efficax est in carie	321 323	<i>Lini</i> egregie demulcet & emollit	103
- laudatur in gangræna	88	- commendatur in ambustio- nibus	ib.
- usum habet in ossium pa- lati arrosionibus	323	- - pernioibus	107
- laudatur in cancro	309		Lum-

R E R U M.

*Oleum*

- Lumbricorum terrestrium* leviter camphoratum qualem usum habeat in luxationibus 443  
*Myrrha* per deliquium laudatur in vulneribus mundificandis 328  
 - in pernioibus 107  
*Nucis moschatæ* fide dignam efficaciam in vulneribus venentis non præstat 376  
*olivarum* ad emplastra adhibetur 49. 50  
*ovorum* temperante & demulcente effectu achoribus prodest 265  
 - commendatur in pernioibus 107  
 - in mortario plumbeo agitatatum laudat Peccetus in cancro ulcerato 311  
 - it. in ozæna 289  
 - secessionem ulcerosam leniter promovet 260  
*Papiri* ulcuscula abstergit 262  
*Petræ* substantia sua leniter sulphurea efficaciter penetrat stasin ulcerosam 107  
 - ad recursum pernioium post annua intervalla laudatur ib.  
 - quo tempore exhibendum sit ad cavendum recursum pernioium ib.  
*Philosophorum* abstergit inquinamentum ulcerosum 260  
 - commode absomit fungos 216

*Oleum*

- scorpionum* ad ictum scorpionum præsentissimum est remedium 376  
 - ad strumas commendatur 211  
*stercoris humani* commendat Hafsenrefferus in cancro ulcerato 311  
*sulphuris* per campanam sphacelum inhibere creditur 96  
*Tartari* per deliquium est abstergens 122  
 - fœtidum ulcuscula abstergit 262  
*Templinum* nocet in inflammationibus 62  
*Terebintina* lationibus partium exsanguium nervi puncturæ opponitur 482  
 - laudatur in cancro 309  
 - cicatricem inducere valet 73  
*Vitelli ovorum* ulcerationes egregie demulcet 235  
*Vitrioli* sanguinem inspissat 380  
*destillata* in scirrhis sanguineis nocent 140  
*fervidum* in morfu venentorum animalium proficuum est 374  
*Omentalis hernia* a quibusdam negatur 190  
*Omentum* porci ad clavos pedum laudatur 234  
*Omphalocèle* 183  
*Onopordon* ad cancerum ulceratum commendatur 311. 316  
*Ops-*



R E R U M.

<i>Papillarum vitia</i>	626	<i>repetita</i> mortem adferre dicitur	
<i>Passio iliaca</i> ex hernia incarcerata			534
facile provenit	152	<i>scroti</i>	537
<i>Paracelsi</i> admonitio de hæmorrhagia		- quænam hic subjungenda	539
diu toleranda explicatur	382	sint	539
consilium ad sarcomata extir-		thoracis mature instituenda	537
panda improbat	221	- quomodo instituenda sit	534 sqq.
methodus ulcera ab intra curare	247	- in ipsa costa institui jubetur	535 537
ejus decoctum traumaticum cor-		ab Hippocrate	537
rectum per rad. ari & pimp.		sed non habet asseclas	537
alb.	248. 269	exposcit vulnus amplum	538
assertum, das Glied-Wasser bis		non inspiratione, sed expira-	
auf sein pondus laufen lassen,		tionem instituenda	537
explicatur	390	ejus operatio magnam non	
Urtheil von der impostur mit den		involvit difficultatem	533
Koll-Binden	171	<i>Paraphimosis</i> quid sit	649
unguentum ad vulnera venenata		datur præternaturalis	650
bubones resolvit	154	quomodo hæc tractanda	ibid.
- quomodo hoc paretur	377	<i>Paronychia</i>	660
opinio de vulneribus mala con-		<i>Parotides</i>	144
stellatione inflictis	338	a Galeno ad inflammationes tan-	
<i>Paracentesis</i>	532	tum restringuntur	ibid.
tantum subtrahit morbi produ-		quomodo differant a scirrhis	145
ctum, non autem fundamen-		dolentes & indolentes	144
tum	534	ex causa frigida & calida nata	
differt ratione loci & materiarum			ibid.
	532	sunt contumaces	146
<i>abdominis</i> paululum periculiosior		suppuratio parotidum vix sincera	
est, quam in thorace	534	obtinetur	145. 146
- quomodo instituenda sit		sectio parotidum circumscriptio-	
	536	nem requirit	145
- tempestive instituenda	539	febre non cessante periculosa	
<i>in ascite</i> inveterato non consulta		sunt	146
est	534	quomodo tractandæ	ibid.
<i>empyematis</i>	539	circumspectionem in medicatio-	
<i>pectoris</i>	538. 625	ne exposcunt	147
<i>Junck. Chir.</i>		U u u	per

I N D E X

per salivationem a Stahllo tractatæ	ibid.	ad cancerosam magis, quam spha-	
<i>Partus naturalis</i> spasmis uteri absol-		celosam corruptionem ren-	
vitur	655	dunt	ibid.
- qua prudentia promovendus		calori mox admovendi non sunt	106
fit	656	<i>Pessarium</i> feu <i>Pessus</i>	21
<i>difficilis</i> , ejus causæ	653	<i>Pessaria</i> non inducunt sterilitatem	179. 531
- uteri prolapsum inducere		uterina unde parentur	178. 179
valeat	177	in procidentia uteri commendan-	
it. ani prolapsum	180	tur	178
<i>caesareus</i>	626	<i>Pest. Beulen</i>	149
- quomodo hujus operatio		<i>Phalangosis</i>	586
instituenda	627	<i>Phimosis</i> quid sit	523. 648
- de hoc partu citatur Rous-		unde oriatur	648
setus	197	datur naturalis	649
circa partum errores ingentes	656	- præternaturalis	ibid.
<i>Parulis</i>	613	quomodo tractanda	649
<i>Pedes incurvati</i>	660	<i>Phlebotomus</i>	21
quomodo restituendi	661	<i>Pblegmonæ</i> quomodo differat ab	
<i>artificiosi</i> secundum Hildanum,		erysipelate	54
Paræum & Solingen	558	generico sensu vulgo sumitur	55
<i>Pelecanus</i>	17. 21	ejus signa	ibid.
<i>Penis imperforatio</i> quomodo tra-		cur in extremis artuum commu-	
ctanda	523. 529	niter proveniat	56
<i>Perinæi apertura</i> in plenaria urethræ		in facie post dolores dentium	
coalitione auctoritate non est		non est periculosa	62
confirmata	531	- quasi idiopathica est peri-	
<i>ruptura</i>	659	culosa	ibid.
<i>punctura</i>	631	a febribus acutis est sensibilis	63
<i>Peritonæi duplicatura</i> hodie rejicitur	191	a metastasi febrili communiter	
<i>Perle im Muge</i> , quid sit	588	exoritur	54
<i>Perniones</i>	104	<i>Phthiriasis</i>	265
tres habent gradus	105	<i>Pia matris</i> læsio quomodo tractanda	583
fluidas partes coagulant	105. 106	<i>Pileus</i>	
solidas partes debilitant	ibid.		

R E R U M.

<i>Pileus argenteus</i>	21	<i>Pneumatomphalus</i>	184. 186
<i>Pilula de succino</i> Cratonis	269	ejus cura	202
Becheri & Stahlii in tumoribus inflammatoriis quando adhi- bendæ	64	<i>Poisau</i> de morbis serofis	174
<i>Pinguedines</i> in tumoribus œdemato- sis non conveniunt	168	<i>Polypus narium</i>	222
<i>Pinguedo leporina</i> solet commendari ad heterogenea e vulneribus extrahenda	333	est excreſcentia carnoſo-membra- nacea	209
<i>animalium</i> in abſceſſibus conce- duntur	70	an differat a ſarcomate naſi	222
<i>viperarum</i> laudatur a Wedelio in cataraçta incipiente	604	modo unam radicem, modo plu- res habet	223
<i>Pinguia</i> nocent in inflammationibus	62	cum luna creſcit & decreſcit	ibid.
promoveant maturationem	70	quomodo exſtirpandus ſit	224
unguiſoſa craſſa rancida ſua cor- ruptela vulnera in ulcera mu- tant	336	illum per cauteria actualia tracta- re periculofum eſt	225 605
acria, deſtillata in abſceſſibus da- mnantur	70	ejus recurſus quomodo præſcin- dendus	ibid.
unguiſoſa in vulneribus capitis præcipue fugienda	354	quo tempore adgrediendus	ibid.
ſubtilia cicatricem inducunt	73	<i>cordis</i>	218
in achoribus non ſimpliciter ap- plicanda	266	<i>Poma Borsdoſſiana</i> ad verrucas com- mendantur	231
<i>Pix navalis</i> in ſphacelo ſpecificè commendari ſolet	97	<i>gallarum</i> laudantur in proſidentia uteri	178
<i>Plagule</i>	48	<i>putrida</i> fermentationem vinoſam repræſentant	89
<i>Plinthium Nilei</i>	21	- ad ulcera ſcorbutica	288
<i>Plumaceoli</i> , plumaceaux	51	- in gangræna laudantur	88
unde parandi	ibid.	- in ſphacelo	94
uſus illorum	52	- commendantur in pernio- nibus	07
cauſtici	ibid.	<i>Ponton</i>	40. III
<i>Pneumatocèle</i>	184. 188. 193	<i>Potentia ſalina</i> cur non ſint genuina cauſſa doloris inflammatorii	68
ejus cura	202	<i>Præciſio</i>	339

U u u u 2

Prif.

INDEX

<i>Prifficus</i> novam cataractæ causam detexit	597	<i>Purificatio</i> dentium	609
<i>Procidencia ani</i>	646	<i>Purmanni</i> fibula in vulneribus linguæ	353
<i>Proptosis</i>	591	<i>Puris</i> qualitates in apostemate indicantur	69
<i>Prosthefis</i>	6	<i>Pus</i> laudabile in vulneribus est fignum salutare	395
<i>Pruritus</i> in membris luxatis quomodo mitigandus	444	non simultanee evacuandum	72
<i>Pterygium</i>	589	<i>Putredo</i> quomodo differat a suppuratione	89
<i>Ptoſis</i>	586		
<i>Pulverulenta</i> sicca præcipue profunt in inflammatione a motu interno	63	Q.	
<i>Pulvis</i> ad hæmorrhagias compescendas	380	<b>Q</b> uell = Meißel circumſpectionem requirunt	53.272
<i>Pulvis pyrius</i> commendatur in ambuſtionibus	101	quando neceſſariæ	546
<i>ſternutatorius</i> in depressione cranii a nonnullis laudatur, a nonnullis rejicitur	347	R.	
- commendatur in hydrocephalo	174	<b>R</b> adices in decoctis antivenereis lignis præferuntur	161
- ozænam cauſſari poteſt	289	<i>Radix Ari</i> materiam colliquat, & ſimul tonum roborat	254
<i>ſympatheticus</i> laudatur in procidencia uteri	178	- commendatur ad ulcera mundificanda	246.248.254
<i>Puncta</i> alba Fallopii	343	<i>Aristolochia</i> num ad putredinem offium efficax ſit	296
<i>Punctio</i> ad aquam evacuandam in hydrocele commendatur	201	- rotundæ prodeſt ad callum auferendum	257
<i>Punctum aureum</i> , qualis ſit operatio	197	- - commendatur ad ulcera mundificanda	246
- tortura dici meretur	205	<i>Bardana</i> majoris, ut & folia in tumoribus œdematoſis conveniunt	169
<i>Punctura</i> perinæ	631	<i>Ellebori nigri</i> prodeſt ad callum auferendum	257
<i>Pudendi muliebris</i> concretio	651		
<i>Purgantia</i> maxime nocent in phlegmone	63		
fortiora nocent in furunculo	80		

*Radix*

R E R U M.

<i>Radix</i>			
<i>Fabaria</i> seu crassulæ specificæ ad hernias laudatur	206	<i>Pseudo-Acori</i> , seu iridis palustris potenter adstringit	381
<i>Filicis</i> , ejus decoctum nonnulli commendant in sphacelo	96	<i>Symphyti majoris</i> leniter repellit	61
habet efficaciam genesin ver- minosam inhibendi	ibid.	<i>Vincetoxicæ</i> tanquam resolvens & discutiens ad strumas laudatur	211
<i>Feniculi</i> in vino cocta cataractam incipientem curasse dicitur	604	<i>Rana</i> in manu detenta ad strumas laudatur	212
<i>Gentiana</i> loco turundæ adhibe- tur	53	<i>Ranula</i>	615
- commendatur ad ulcera mundificanda	246	ejus operatio	ibid.
- rubræ prodest ad callum auferendum	257	<i>Rapæ</i> gelu colliquatæ commendan- tur in perionibus	107
<i>Iridis nostratis</i> evacuat viscosita- tem serosam	174	<i>Rase-Uder</i> öffnen	437
- egregie se gerit in infarctu pectoris infantum	174	<i>Rasio</i> quando locum habeat in offi- um infectione	269
<i>Napelli</i> , de ea observatio Win- teri	314	<i>Rau</i> , Professor Lugdunensis, muta- vit instrumentum Petri Adri- anson	588
<i>Ononidis</i> a Sculteto laudatur in sarcocele	203	<i>Realgar</i> in cancro non adhibendum	313
<i>Petasitidis</i> , & herbaejus, laudan- tur in tumoribus œdematosi-	169	<i>Refrigerantia</i> cum aliis mixta inflam- mationem mitigant	69
- ejus Essentia, quando adhi- benda sit in tumoribus inflammatoriis	64	nuda, quæ damna in abscessibus inducant	73
<i>Pimpinellæ albæ</i> leniter resolvit & abstergit	64	in febribus periculum augent	485
- ejus decoctum laudatur in parotidibus	147	in furunculo damnantur	79
- essentia commendatur in tumoribus inflammato- riis	64	in motibus inflammatoriis feir- rhus inducunt	139
		<i>Remora</i> Hildani	22
		<i>Renes</i> a cancro liberi, unde	306
		<i>Repositio luxationum</i> quomodo fiat	441
		<i>Repellentia</i> incredibile damnum in- ferunt	154. 157
		vide <i>Retropulsio</i> .	
		U u u u 3	Res

I N D E X

- |   |          |   |          |
|---|----------|---|----------|
| <i>Res heterogeneæ</i> in aures illapsæ quomodo extrahendæ sint   | 606      | <i>Rosarum flores</i> leniter adstringunt & reliqua crasi temperant             | 130      |
| - in oculum illapsæ quomodo educendæ sint                         | 588      | <i>Rose: die weisse</i> quid sit  | 55       |
| - in faucibus hærentes quomodo extrahendæ sint                    | 620      | <i>Rostrum</i>  | 21       |
| <i>Resonitus</i> quid sit   | 339 369  | <i>Rousetus</i> de partu cæsareo  | 179      |
| <i>Retropulso humorum</i> in foro chirurgico magnum damnum infert | 9        | <i>Rubefacientia</i> quænam sint  | 240      |
| achorum, scabiei & aliorum ulcerculorum admodum familiaris        | 157      | <i>Rudicula</i>   | 23       |
| œdematum, quo periculo succedat                                   | 167      | <i>Rulandus</i> poma putrida in gangræna commendat                              | 89       |
| <i>Reusnerus</i> allegatur  | 604      | S.  |          |
| describit tubam acousticam peculiarem                             | 607      | <b>S</b> <i>accharum</i> est lenissimum septicum                                | 333      |
| <i>Rhinenchytes</i>   | 21. 24   | <i>Sagapenum gummi</i> minus acre quam galbanum, hinc tam fortiter non resolvit | 165      |
| <i>Rheumatismi</i> unde originem ducant                           | 73       | <i>Sagittæ</i> , harum extractio multam involvit difficultatem                  | 544      |
| <i>Rima</i> quid sit  | 338. 339 | hamulo instructæ scindendo extrahuntur  | 544. 545 |
| quomodo tractanda   | 348      | <i>Sal commune</i> ad dentium cariem laudatur                                   | 322      |
| <i>Riverius</i> allegatur   | 604      | <i>gemmæ</i> in strumis efficax apprehenditur                                   | 211      |
| anagallidis aquaticæ succum laudat in cataracta                   | 604      | <i>volatile viperarum</i> a Timæo in cataracta adhibetur                        | 604      |
| ejus consilium ad panaritium                                      | 128      | <i>fuliginis</i> laudatur ab Hartmanno in cancro ulcerato                       | 311      |
| <i>Rolfincii</i> conamen in cariei detectione                     | 324      | <i>Salia volatilia</i> discutiente & roborante scopo commode non adhibentur     | 255      |
| <i>Roll-Binde</i> in tumoribus œdematosi rejicitur                | 171      | <i>Saliva</i> qualem corruptionem fubeat  | 4        |
| <i>Rondelittii</i> suffimigium ad ozænam                          | 290      | jejuni hominis in gangliis non semper efficax est                               | 165      |
| <i>Roonbuysen</i> observatio de collo incurvato                   | 624      |   |          |
| <i>Ros majalis</i> laudatur ad nævos maternos                     | 238      |   |          |

Sali-

R E R U M.

<i>Salivatio</i> lenis conducit in parotidi-	<i>fynoviam</i>	391
<i>lis</i>	<i>talpa</i> specificè in sphaelo lauda-	
ut & in refractariis glandularum	<i>tur</i>	97
<i>tumoribus</i>	ex vulnerato num hæmorrhagiam	
ejus abusus & præpostera admini-	<i>sistat</i>	384
<i>stratio</i> accusatur	<i>Sapo</i> efficaciam resolventem habet	
in scirrhis non probatur, exceptis	<i>254</i>	
<i>venereis</i>	<i>commendatur in ambustionibus</i>	100
non commendatur in tumoribus	<i>Sapphirus</i> num virus carbunculi pe-	
<i>tunicatis, nisi subsit causa vene-</i>	<i>stilentis</i> attrahat	85
<i>rea</i>	<i>Sarcocèle</i>	184. 188. 193. 208
mercurialis in ozæna non habet	<i>ejus cura</i>	203
<i>locum</i>	<i>Sarcoma</i>	218
per cuprea medicamenta secun-	<i>a dorso ad furas</i> dependens	220
<i>dum Helvetium temerarium</i>	<i>magnæ molis per sectionem tra-</i>	
est tentamen	<i>ctari non potest</i>	220
<i>Sandalium</i>	occurrunt sarcomata in partibus	
<i>Sanguis</i> corruptionem sphaelosam	<i>carnosæ fibraceis</i>	209
<i>subit</i>	in angulo oculi ab Hildano ex-	
ejus præmatura cohibitio pericu-	<i>sectum</i>	220
<i>losa</i>	cum lunæ motibus conspirant	218
ejus corruptio non ab extravasa-	<i>nasi, quomodo differat a polypo</i>	
<i>tionem simplici, sed a motu sus-</i>	<i>222. 224</i>	
<i>flaminato</i> dependet	<i>Sarcophalus</i>	184. 186
<i>falsam</i> corruptelam potentissime	<i>ejus cura</i>	203
<i>exacuit</i>	<i>Sarcosis</i> quibus remediis promovea-	
- in cavitatem effusi signa	<i>tur</i>	73
- extravasatio in vulneribus ca-	<i>Saturnina</i> sola adhibita in profundis	
<i>pitis quomodo tractanda</i>	<i>inflammationibus nocent</i>	61
<i>barbi</i> piscis ad nævos maternos	<i>Sauer-Brant-Laacke</i> remedium	
<i>laudatur</i>	<i>rustici ad sphaelum inhiben-</i>	
<i>Columbinus</i> a multis laudatur in	<i>dum</i>	69
<i>cataracta</i>	<i>Scabies</i> hereditaria	264
<i>leporis</i> , specificè laudatur in tu-	<i>Scalpellus &amp; Scalprum</i>	22
<i>moribus inflammatoriis</i>	<i>Scalpra</i> extra juncturas non sunt ad-	
<i>menstruus</i> item	<i>hibenda</i>	517
- laudatur etiam specificè ad		<i>Sca-</i>

I N D E X

<i>Scammum Hippocratis</i>	22	<i>Schäden, alte, angelauffene,</i>	
<i>Scapha</i>	31. 489	<i>verwahrloste, erstickte</i>	61
<i>Scarificatio</i>	489		79. 244. 245. 253
differt ratione loci & cucurbitularum	489. 490	müssen einen frischen Grund bekommen	249
ejus consuetudo multum valet	482	<i>Krebshafte, halbfaulende, unde</i>	
- locus specialis	ibid.	proveniant	135
- modus operandi	491	<i>Schielen</i>	591
- tempus generale	492	<i>Schienen</i>	16
- quantitas	491	<i>Schmalzii acus duplex ad cataractæ</i>	
- scalpellum adhibitum follicite		depositionem	601
derergendum	492	<i>Schneller</i>	21
- instrumentum, quo sedecim		<i>Schnür-Brüste, steife</i>	626
vulnuscule infliguntur	492	<i>Schröpf-Gliete</i>	19
- incisiones profundæ multum		<i>Schröpf-Kopf</i>	15
incommodi inferunt	491	<i>Schwinden der Glieder</i>	238
- usus	490	<i>Schwitz-Kasten</i>	23
narium Aegyptiaca	489	<i>Scirrhi</i>	132
quando locum habeat in carbunculo	85	raro eveniunt	134
ad callum removendum laudatur	258	externi unde plerumque oriuntur	134
in œdematibus non probatur	167	curatu sunt difficiles	135
conducit in varis & gutta rosacea	121	medio loco se habent inter inflammationem & sphacelum	134
laudatur in affectibus spastico-arthriticis	490	in musculosis partibus prœiores sunt ad sphacelum	135
intestini in hernia flatulenta exigui est effectus	207	in quibus locis nascantur	134
profunda in sphacelo locum habet	93. 96	differunt a gangliis	133
cum cucurbitula quando locum habeat in ulceribus venenatis	376	- a nodis & gummatibus venereis	ibid.
		- ab aliis nodis arthriticorum	ibid.
		- a simplici stasi inflammatoria	133
		- a tumoribus saccatibus	ibid.

*Scirrhi*

R E R U M.

*Scirrhi*

canerofus quomodo excindendus 317  
 eryfipelaceus 132  
 cedematofus ibid.  
 fanguineus eft cancer occultus ibid.  
 - multa nova vafa habet 137  
 quomodo tractandus 136. 139  
 terofio- mucidus aut terofio- lymphalis 132. 133  
 - rarior eft 141  
 fanguinei cur magis periculi involvant quam mucidi 135  
 - quomodo tractandi 136  
 mucidi, fi diu fteterint, etiam periculofi funt 136  
 phlegmonodei quinam periculofi ibid.  
 - quomodo tractandi 137  
 exfanguis quomodo tractandi 136  
 per falivationem curari non debent 143  
 cur non in corruptionem cito ruant 134  
 eorum indoles variat 135  
 emolliti, fi iufto tempore non aperiantur, ulcera fiftufofa producunt 141  
 ab acuris refidui non debent re- pelli 144  
 in glandulofis partibus difficulter difperguntur 135  
 quomodo excindendi funt 137  
 quomodo cavendi 139

*Junck. Chir.*

*Scordii decoctum* in mitiore gangræna fufficit 88  
*fuccus* in gangræna laudatur 89  
*Scorpionum oleum* ad ftrumas commendatur 211  
*Scroti* paracentefi quænam fubjuncta funt 539  
*Sculteti* obfervatio de carbunculo peftilente digniffima eft 541  
 obfervatio de carb. peftil. in orificio ani 85  
 - de carbunculo retroceffo per cauterium revocato ibid.  
 instrumentum ad ftrabifmum 592  
*Seftio* commendatur in inflammationibus apoftematodeis 61  
 nimis mature inflituta quæ mala proferat 71  
 commendatur in carbunculo fphacelato 85  
 ad fungos grandiores laudatur 217  
 ad bubones peftilentes commendatur 153. 154  
 in glandulis fub auribus non fua- detur 155  
*Seftiones* 516  
 earum modus operandi 517  
 herniæ extra neceffitatis cafum non commendantur 205  
 intempettivæ fcirrhorum incom- moda adferunt 141  
 ad res heterogeneas extrahendas commendantur 546. 547

Xxxx

Se-

I N D E X

<i>Secundina</i> humana laudatur ad nævos maternos	237	culiariter idonea sunt	324
putrescens mortem facile inducit	659	- ad fungos cum circumspetione adhiberi possunt	216
quando promovenda	657	e cupro & vitriolo parata, nocent partibus nerveis & membranaceis	333
earum extractionis cautela	659	ad pelliculam in oculo exedendam commendantur	589
<i>Sedes</i> quid sit	339	lenissimum septicum est saccharum	252. 333
quomodo tractanda	348	unguenta ad abscessus apertionem a nonnullis adhibentur	70
<i>Sedum minus</i> laudatur in pernionibus	107	<i>Seri corruptio</i> celeriter non diffunditur	4
<i>Sella obstetricalis</i>	22	<i>Serpigo</i>	122. 260
<i>Semen staph. agria</i>	265	ejus distinctio ab herpete miliari usum practicum non involvit	261
<i>Semina oleaginosa</i> rebus fermentescentibus adjecta majorem acrimoniam conciliant	141	conspirat sæpe cum moribus hæmorrhoidalibus	262. 263
<i>Septica</i> , eorum abusus accusatur	333	exposcit evacuationem sanguinis	262
quando in gangræna adhibenda	89	eam paucis horis profligare non artis est	ibid.
usus nocet in ambustionibus	103	<i>Serra</i>	22
quando in pernionibus concedantur	107	quæ præferenda sit in parte amputanda	96
in spæculo commendantur	94	<i>Serratio</i> quomodo instituenda sit	518
ad hæmorrhagias sistendas sunt periculosa	96	<i>Setaceum instrumentum</i>	22
<i>moderata</i> in fungis commendantur	216. 217	<i>Setaceum</i>	505. 624
- in polypo narium	225	ejus symptomata	507
suspecta sunt in tumoribus tunicatis	160	- instrumenta	506
efficaciora in polypo narium periculosa sunt	226	- modus operandi	ibid.
nocent in vulneribus venenatis	375	<i>Seta-</i>	
<i>arsenicalia</i> in carne fungosa non habent locum	217		
<i>veneræ</i> ossibus corrumpendis peculiariter idonea sunt			

R E R U M

<i>Setaceum</i>		<i>Spatha l. Spathula</i>	ib.
ejus usus	506	<i>Specillum l. Speculum</i>	23
sine prægnanti causa non com-		<i>Speculum oculi</i> a nonnullis adhibetur	
mendatur	507	in cataractæ depositione	23
in hydrocephalo commendatur	174	oris	23. 612
minus convenit in varis & gutta		<i>Spect-Beulen</i>	158
rosea	122	<i>Sperma</i> ad mucosam corruptionem	
ad aquam evacuandam in hydro-		promptius est	4
cele commendatur	201. 202	<i>ranarum</i> nonnullis specificum est	
<i>Severinus</i> de efficaci medicina allega-		ad ulcera serpigiosa	263
tur	384. 473	<i>Sphacelus</i>	89
de recondita abscessuum natura	160	ejus nomen cum re ipsa non ha-	
per arteriotomiam, epilepsiam		bet convenientiam	91
imminuit	473	unde desertio concursus vitalis	
<i>Sinus muliebris</i> clausura	524	in sphacelo dependeat	92
<i>Sipho</i>	22. 23	non a qualitatibus innominatis	
<i>Situs partus</i> naturalis & præternatu-		specificis	ibid.
ralis	653	in sphacelo tonus vividus ante	
naturalis sæpius immutatur in ho-		actualem corruptionem remo-	
minibus, non æque in brutis	656	tus physicis causis non inniti-	
præternaturalis mutatio facile qui-		tur	91
dem fingitur, sed difficulter in		ejus causæ genuinæ & fictitiæ	91
actum deducitur	658		92
<i>Solani furiosi</i> usus in cancro	314	rarissime & sæpius in hominibus	
<i>Solingii</i> instrumentum ad strabis-		quam in brutis observatur	90
mum	592	quomodo differat a cancro	ibid.
subligaculum, quo urinæ egres-		ejus differentia a suppuratione	89. 90
sum inhibere conatur	646	non semper est consequens gan-	
<i>Solutio fræni</i>	648	grænæ	94
<i>Sonde</i>	23	cito progreditur	97
<i>Sophia Chirurgorum</i> in fracturis adhi-		in sphacelo recentiores fingunt	
beri solet	413	aciditatem volatilem	92
<i>Spanischer Krug</i> quid sit	650	Xxxx 2	<i>Spha-</i>
<i>Spatha</i> Celli	22		

I N D E X

<i>Sphacelus</i>			
- alcali volatile producitur			95
			92
- num vapores vappidi spiritus vitales suffocent			91
- erysipelacea sphacelofitas lente succedit			58
scorbuticus communiter cum pustula gingivæ incipit			94
- cur segnius procedat			90
			94
in sphacelo scorbutico interna etiam locum habent			94
ejus species a pustula nigra in digitis pedum originem sumens			95
- autocraticam restitutionem Bartholinus rarissimo exemplo commemorat			92
varia remedia ad sphacelum inhibendum commendantur			96
ejus pathologia verminosa		ibid.	
<i>Sphincter ani</i> num discindi debeat in fistula ani			285
<i>Spina ventosa</i>			318
est calamitosum malum			321
est affectus rarissimus			518
quomodo dignoscenda			319
quomodo differat a carie			318
tres habet gradus			318. 319
quomodo fit tractanda			322
			324
<i>Spirituosus potus</i> quomodo in acetum transeat			95
<i>Spiritus cornu cervi</i> qua cautela locum habere possit in febribus vulnerariis			330
<i>Formicarum</i> efficaciam habet nervinam			412
<i>salis volatilis</i> oleosi in febribus vulnerariis non rejicitur			330
<i>serpilli</i> abstractitius efficaciam habet nervinam			412
<i>sulphuris</i> per campanam sanguinem notabiliter inspissat			380
<i>theriacalis</i> camphoratus laudatur in gangræna			88
<i>vini</i> a Cardilucio in cataracta laudatur			604
- efficacia conservativa diu innotuit			322
- <i>camphoratus</i> qua encheirefi in cancro adhibendus sit			308
			312
item in tumoribus inflammatoriis			63
- - crocatus quid efficiat			ibid.
- - ubi adhibendus			ibid.
- - in carbunculo sphacelato adhibetur			84
in gangræna			88
- <i>rectificatissimus</i> corruptiones putridas enervat			312
in sphacelo laudatur			94
			96
- - affluxum discutit, mucum fluxilem coagulat, tonum partis provocat, acrimoni- am			

R E R U M.

<i>Spiritus vini rectificatis.</i>		<i>Staphyloma</i>	591
am edulcorat	312	<i>Stases humorum:</i> earum differentia	
- egregiam efficaciam habet in		inter se	3
cancro	308. 312	ab excrescentiis	6
- - optime sistit hæmorrhagiam	96. 155. 313. 317	<b>Staub-Mehl</b>	380
- - & quidem coagulando	380	<i>Steatoma</i>	158
	383	<b>Steinschneiden</b>	632
ad hæmorrhagias vulnerum		<i>Stercus bovinum</i> laudatur in proci-	
sistendas, præsentem etiam		dentia uteri	178
inflammatione adhibetur	380. 381	<i>Sterni perforatio</i>	572
<i>Vitrioli</i> sanguinem notabiliter		<i>Stigmata</i> quid sint	129
coagulat	380	<i>Stiptica vitriolica</i> in vulneribus capi-	
<i>Splenia</i> quomodo paranda	48	tis minimum habent locum	354
illorum usus	48. 49.	<i>Stomacace</i>	286
<i>Spongiæ</i> loco turundarum adhiben-		<i>Strabismus</i>	591
tur	53	ejus cura	592
<i>ustæ</i> in recenti struma laudantur	211	<i>Stricture</i> per fascias amplas in tumo-	
		ribus œdematosi rarissime	
<b>Spring-Stöcklein</b>	21	conducit	170
<b>Sprütze</b>	23	<b>Stroh-Lade</b>	13. 42
<b>Staar</b>	594	<i>Strumæ</i>	209
<b>Staar-Stechen</b>	600	non sunt infarctus humorum coa-	
<i>Stablii</i> Essent. balsam. mundificat,		gulatorum	210
corruptionem occupat & re-		ad excrescentias pertinent	209
staurat	71		213
- resistit ulcerationi cancris	157	non dependent a stasi humorum	213. 215
- prodest in furunculo aperto	79	referunt indolem herniæ carnosæ,	
methodus curandi fistulam lacry-		seu melius spongiosæ	210
malem	275	certis regionibus sunt endemii	
observatio de processu peritonæi	191	morbi	213
		in nonnullis subest vitium hæredi-	
		tarium	213
		illas in pedibus habere solent inco-	
		læ S. Thomæ	214

Xxxx 3

Stru-

I N D E X

<i>Struma</i>		<i>scordii</i> in gangræna laudatur	89
eas maturare anceps est	211	<b>Sucher</b>	23
<i>cancroſe</i> difficillimæ ſunt curatio-	213	<i>Sudor emortalis</i> ad farcomata lauda-	
nis	213. 316	tur	220
earum <i>deligatio</i> quando locum		<i>Sudorifera</i> impetuoſa nocent in fu-	
habeat	241	runculo	80
- ſectio	213	<i>Suffimigia</i> in ſcirrhis efficacia	138
quo modo inſtituenda	214	in procidentia uteri laudantur	178
ſummam requirit circumſpectio-			179
nem	213	<i>Suffimigium</i> Rondelitii ad ozænam	290
<i>Stupeſcientia</i> ad dolores mitigandos		<i>Suffuſio</i>	594
ubi locum habeant	144	<i>Sugillatio</i>	129
externe in cancro non temere ad-		a contuſione differt, ut effectus a	
hibenda	313	cauſſa	ibid.
<i>Stupha Laconica</i>	23	major cito non debet repelli	131
<i>Stuppa cannabina</i>	508	oculorum quomodo tractanda	351
<i>Stylus</i>	23	<i>Sulphuris flores</i> conducunt poſt re-	
<i>Subadſtringentia</i> parce adhibita con-		tropulſa ulcera	157
ceduntur in inflammationibus	59	uſus externus ad ulcerationem œ-	
- cum ſepticis conjungenda		dematum debet eſſe providus	196
in fungis	217	antimonialis ſolutio exferit cauſti-	
<i>Subluxatio</i> eſt luxatio incompleta	433	cam efficaciam	168
<i>Succinum</i> ad res peregrinas in ocu-		<i>Sulphurata</i> ſanguinem adhuc mobi-	
lum illapſas commendatur	548	lem repellunt	118. 119
<i>Succus Cbelidonii</i> non arrodit verru-		nocent, quando poſt obviſca-	
cas, ſed peripheriam mollem	230	tionem ſanguinis applicantur	ibid.
- laudatur in vulneribus		<i>Sulphurea oleaginoſa</i> corruptioni ſal-	
mundificandis	328	ſæ affuſa acrimoniam augent	141
<i>millefolii</i> laudatur ad mundifica-		<i>Suppoſitoria</i>	515. 646
tionem vulnerum	328	triplici gradu differunt	515
<i>Eſula</i> non arrodit verrucas, ſed		ubi locum habeant	515
peripheriam mollem	230	e quibus paranda ſint	515
		<i>Sup-</i>	

R E R U M.

<i>Suppositoria</i>		Cornelii Celsi methodo	568
stimulando tantum agunt	ibid.	<i>tendinum</i>	560. 569
non habent locum in fecibus induratis & motibus spasticis	ibid.	- quomodo fit instituenda	570
			sq.
		- raro efficax est	572
<i>Suppuratio</i> quomodo differat a putredine	89	<i>Sympathetica remedia</i> minus locum	
ejus signa	519	habent in gravioribus hamorrhagiis passivis	385
absolute non habet potentiam in partibus exsangues	90	ad verrucas	231
non respicienda est in tumoribus tunicatis	160	in strumis sunt incerta	212
<i>Suspensorium scroti</i>	38	primario a causa morali dependent	220
penis	37	<i>Symphysis oculorum</i>	523. 525. 526
<i>Sutorii corrosivum</i> allegatur	540		584
- septicum a quibusdam laudatur	333	<i>Symphytum</i> majus consolidationem promovere dicitur	335. 413
<i>Sutura</i> , de iis generatim	559	<i>Synovia</i>	386
earum multas species habebant antiqui	559	a Paracelso nomen accepit	ibid.
<i>actualis</i> seu cruenta	ibid.	duplici sensu sumitur	ibid.
- harum causæ	560	in partibus tendinosis & ligamentosis occurrit	ibid.
methodus	561	a causa passiva falso derivatur	387
<i>potentialis</i> seu sicca	559	quomodo inducatur	ibid.
- harum causæ	560	irritantibus in vulnere causis active destinatur	ibid.
- quomodo perficiatur	561	a perversa tractatione chirurgica dependet	ibid.
<i>abdominis</i>	565	cur antiquis rara fuerit	390
<i>labii leporini</i>	562. 609	eam in recente vulnere hariolari ignorantia signum est	388
- hujus rarissima circumstantia	565	impedit aliquando ossis luxati repositionem	443
- quomodo perficiatur	563	hic fluxus est malum signum in vulneribus	390
<i>L'entortillée</i>	560	coctionem in vulneribus impedit	358
<i>nodosa</i> seu interscissa, l'entrecoûpée	559		
- quomodo perficiatur	561		
<i>pellionum</i>	559. 567		
			<i>Syno-</i>

I N D E X

- Synovia*  
in cacochymicis pertinaciter se-  
gerit 388  
diu manans partis debilitatem vel  
ariduram relinquit ibid.  
num per totam vitam virium pro-  
strationem inducat ibid.  
cur illam Hippocrates nullis arti-  
ficiis sistere voluerit 390  
adstringentibus incongrue tracta-  
tur ibid.  
nec non emollientibus & ungui-  
nolis aut etiam refrigerantibus  
ibid.  
quomodo tractanda 388. 389  
*Synthesis*, qui affectus, ad illam per-  
tineant 6  
*Syringa* 23  
*Syringotomus* ad fistulam ani recens  
inventus 24  
*Syrupus* de Cichoreo cum Rhabarba-  
ro 264  
de spina cervina 265
- T.
- T**abacke-Clystier 14. 514  
*Tabacus* efficaciam habet abstergen-  
tem 247. 248. 254  
inter septica mitiora refertur 252  
ejus efficacia in ulceribus cancro-  
sis est admiranda 313  
ejus decoctum laudatur in tumori-  
bus œdematosi 170
- commendatur ad ulcera mun-  
dificanda 246. 254. 328  
- in contusionibus 370  
*succus* ulcuscula abstergit 262  
- vel decoctum abstergendo &  
mundificando conducit in  
mammis ulceratis 157. 309  
pediculis infensus 265  
**Tacken** 647  
*Taliacotius* defectum nasi aliena car-  
ne compensare docuit 608  
*Talpa* alligatio ad panaritium expe-  
rientiæ non ubique se com-  
mendat 127  
ad strumas adhiberi solent 212  
*sanguis* specificè in sphacelo solet  
laudari 97  
*cineres* ad lenia septica pertinent  
225. 246. 255  
- auferunt callum 257  
- resolvunt fungos 255  
*Tartari oleum* per deliquium est ab-  
stergens 122  
*Tele araneorum* non sunt adhibendæ  
post suctionem hirudinum 502  
*Temperamentorum* differentia in ca-  
sibus chirurgicis attendenda 5  
*Tendines* ex parte tantum vulnerati,  
num penitus discindendi sint  
336. 572  
- incisi majus periculum fovent,  
quam discissi 395  
**Tentes** 52  
*Terebintina* est cicatrizans 73  
fermentescentiam mellis tempe-  
rat 255  
in

R E R U M.

<i>Terebintina</i>		hujus methodus	494
in substantia roborat partes, & resinosa sui parte suppurationem accelerat	332	- difficultates	494
magna portione in unguento digestivo adhibita ardorem inflammatorium provocat	332	<i>Transplantatoria</i> remedia in strumis sunt incerta	212
<i>Terebra</i> l. terebella	24	primario a causa morali dependent	220
<i>Terebratio</i> quando locum habeat in carie ossium	325	<i>Trepanatio</i>	572. 578
<i>Testium cancrofa constitutio</i>	648	fumitur vel latiore, vel strictiore sensu	572
<i>Testudinatio</i>	340	anceps est remedium	573
<i>Tberiaca</i> in vulneribus venenatis fide dignam efficaciam non præstat	375	raro necessaria	347
<i>Tberme</i> profunt in contracturis & ariduris	240	in comite Nassov. vicesies septies adhibita	580
<i>Tolasis</i> quid sit	340	ejus causæ indicantes	573
<i>Thrombosis</i> quid sit & requirat	522	quando locum habeat in hydrocephalo	175
<i>Thymus</i> quid sit	647	ejus tempus	574
<i>Timeus</i> sal volatile viperarum cataractæ opponit	604	- locus	575
<i>Tinea</i> 264. rubicunda per hirudines sanata	497	- pharmaceutica præparatio	576. 581. 582
<i>Tire-tête</i> Mauriceau	24	- operatio	576 sqq.
<i>Tonfillarum</i> abscessus	618	- deligatio	577
excrefcentia	620	- modus	ib.
inflammatio	618. 619	- magnitudo	ib.
scirrhotitas	619	<i>Trepanum</i>	24. 578
<i>Torcular</i>	24	Hildani	578
<i>Tournequet</i> 24. 40. 114. 115. hujus applicatio cognitionem anatomica requirit	381	<i>Trichiasis</i>	586
<i>Tracheotomia</i>	621	ejus cura	587
<i>Transfusio sanguinis</i>	493	<i>Trichismos</i> quid sit	339
publice in Gallia prohibita	495	<i>Trocart</i> l. troiscart	24
<i>Junck. Chir.</i>		<i>Tuba aoustica</i>	18. 607
		<i>Tubus</i> , l. Tubulus	25
		<i>Tulpii</i> observatio de anevrysmate per pressionem sanato	113
		Y y y y	
		Tumo-	

I N D E X

<i>Tumores</i> , eorum absentiam in magnis vulneribus veteres falso pro malo signo habebant	395	- contumacis sunt indolis	159
differunt ab excrescentiis	6	- medicamentis rarissime cedunt	ibid.
<i>axillares</i> ad maturationem præ aliis glandulosis tendunt	16	- quomodo excindendi sint	159. 160
inflammatorii	54	eorum folliculus prorsus extirpandus	ibid.
<i>glandularum</i>	155	<i>Turpetum minerale</i> omnium vehementissimum est septicum	253
post <i>ulcera retropulsa</i>	156. 157	<i>Turunda</i>	52
<i>mammaram</i> glandulosi distinguendi sunt a scirrho sanguineo	156	turgescentes ubi necessariae	546
- stasin lactis pro fundamento habent	ibid.	illarum usus cum cautelis	52. 53
- profundi facile abeunt in corruptionem ulcerosam	156	unde nonnulli omnem illarum usum rejecerint	53. 522
- perversa arte facile transmigrant in ulcerationes cancerosas	156	illarum usus in vulneribus abdominis	367
- quomodo tractandi sint	157	circa hunc cautela	ibid.
<i>oedematosi</i> seu frigidi	166	in ulceribus fistulosis circumspectionem requirunt	272
- unde proveniant	166. 167	V.	
- plerumque a causis internis ortum ducunt	166	<b>V</b> agina prolapsus	176
- a causis internis non exposcunt topica	170	frequentior quam prolapsus uteri	ibid.
- horum topica tractatio rarissime locum habet	167	imperforatio	524
- ulceribus nocent	253	concretio	651
- hosce scarificando profligare, pessimum est consilium	167	excrescentiæ	ibid.
<i>tunicati</i> seu saccati	158	<i>Vari</i>	119
- obfirmati plerumque in visceribus sui similes habent	161	de <i>lopende Varen.</i>	ib.
		differunt gradu	120
		eorum causa falso putata, & vera	ib.
		retropulsi dira symptomata inducunt	121. 122
		observantur contagiosi	ibid.
		<i>Vari</i>	

R E R U M.

<i>Vari</i>		<i>ejus cura</i>	203
eorum indoles furunculo tribuitur	76	<i>Vasa sanguifera incisa magis periculosa, quam discissa</i>	394
<i>Varices</i>	116. 660	<i>Uber = Bruch</i>	198
modo active, modo passive contingunt	116	<i>Vectis</i>	16. 25
veri & spurii	ib.	<i>Venaesectio</i>	474
minus periculum alunt quam anevrysmata	117	<i>ejus causae sunt praecipue quatuor</i>	
eorum ruptio interdum lethalis fuit	ib.	- subjecta	475
- raro contingit	ib.	- tempus	480
spontanea cum euphoria facta	ib.	- tempus prudentissime judicandum est	478
fluentes tempestive non suppressendi sunt	118. 119	aequinoctialis conducit in erysipelate consuetudinali	486
retropulsi spasmos inducunt	117	<i>ejus locus</i>	474. 478. 486
activi cum haemorrhoidibus connexionem habent	118	quibus locis hodie instituatur	478
<i>Varices gravidarum</i>	116	ad vetera repeti debet	486
post partum communiter evanescent	117	monitum in iis, quibus prima vice vena secatur	487
in varicibus medicatio interna plus praestat, quam operatio	ibid.	venarum secundarum electio	474
nonnunquam abeunt in putridam corruptionem	ib.	<i>ejus instrumenta</i>	479. 487
eorum sectio periculosa	ib.	enchiresis	481. 487. 488
- incisio quando locum habeat	118. 119	in divaricatione non instituenda est	ib.
- excisio gravior est ipso morbo	ib.	<i>ejus quantitas</i>	479
- ustio periculosa	ib.	Gallorum & Anglorum repetita improbatur	479. 484
externa medicatio	ib.	- symptomata	481
<i>Varicocele</i>	184. 189. 648	- exiguum vulnusculum duo habet incommoda praecipua	487
<i>ejus cura</i>	203	- cautela in virginibus ubique nota	488
<i>Varicomphalus</i>	184. 187	- ulus generatim triplex est	475

Yyyy 2

Vena

I N D E X

<i>Vena sectio</i>		<i>Venericum miasma</i> obviscationi lym- phæ ansam præbet	159
- usus generalis, specialis & specialissimus	476. 486	<i>Ventriculus</i> per decem annos apertus in Actis Nat. curiosorum legi- tur	400
- abusus in febribus acutis accusatur	477. 482. 485	<i>Ventosa</i>	15
num in peste segura	485	<i>Venus</i> Beulen	149
in affectibus spastico-arthritis utilis est, imo audacter repe- ri potest	240. 486	<i>Verband</i>	25
Galenica	484	<i>Verduyn</i> nova methodus amputandæ tibiæ paucos affectas nacta est	557
in gangræna commendatur	88	<i>Vermes in ulceribus</i> reperti non ut caussa, sed effectus consideran- di sunt	126
in gravidis	488. 489	<i>Verminosa</i> pathologia de sphacelo	96
in leviore inflammatione non ne- cessaria est	59. 484	<i>Verruca</i>	228
quando usum habeat in luxatio- nibus	443	a cutis nerveo-membranosæ fi- brillis exoriuntur	209
abortum præservat	476. 489	cur in manibus & facie, non au- tem in pedibus appareant, du- bia est caussa	233
in scirrhis sanguineis locum habet	140	in oculo circumspæctionem requi- runt	232. 585
conducit in varis & gutta rosacea	121	<i>Verrucosæ</i> excrecentiæ in genitali- bus	648
quando necessaria sit in vulneri- bus	383. 484	<i>Verruca</i> quomodo extirpandæ	229
non reformidanda in partibus vul- neratis inflammatis	64	in miculosis tantum sunt conta- giosæ	229
post eandem Galli haustum aquæ frigidæ sumunt	488	hæreditariæ moderatissimam tra- ctationem exposcunt	232
in intermittentibus directum lo- cum non habet	486	verruccas illustrissima familia lunæ splendore curavit	232
ei in acutis refrigerantia subjun- gere, periculum auget	485	<i>Vertibulum</i> modiolorum	25
<i>Venena</i> non sunt theoriæ & methodi medicæ	375	<i>Vesica in ambustionibus</i> , num aperi- endæ sint, nec ne	103
<i>Venenostas</i> innominata in cancro	304	<i>Vesica</i>	
<i>Veneris cinis</i> est septicum	252		

R E R U M.

<i>Vesica</i>		Sal volatile & pinguedo in catara-	
aqua calida repletæ in tumoribus		cta laudantur	604
œdematosis commendantur	170	<i>Vitellus ovorum</i> resolvit, abstergit,	
bubula vulnerum hæmorrhagiæ applicatur	379	aufert	254
<i>Vesicatoria</i>	507	renititur corruptioni acetosæ fermentativæ mellis	255
non agunt in partes emortuas sed vivas	95	<i>Vitriol-Knöpfe</i>	558
minus conveniunt in varis & gutta rosacea	122	<i>Vitriolum Martis solaris</i> , ejus tinctura laudatur in varis	122
in hydrocephalo commendantur	174	<i>cypreum</i> ad pelliculam exedendam commendatur	589
eorum symptomata	509	<i>Veneris</i> insigniter causticum & simul adstringens est	252
- usus	508	<i>Vitrum</i>	25
- modus applicandi	509	<i>Vlcera</i> generatim	242
- remedia	508	in partibus exsanguibus contingunt	ibid.
flexuræ cubiti internæ applicatum, est judæi experimentum	509	differunt ab apostemate	ibid.
<i>Vestigium</i> quid sit	339.348	ex apostemate contumacia sunt	246
<i>Vibices</i>	129	<i>qualificata</i> fœtorem spargunt	243
quomodo tractandæ sint	131	<i>superficialia</i> unde & in quibus temperamentis oriantur	243
<i>Vinacea</i> calida a quibusdam laudantur in tumoribus œdematosis	169.170	<i>cacoethea</i> , disepulotica, chilonia	256
<i>Vinum calidum</i> efficax est in fugillationibus recentibus	131	<i>callosa</i> unde oriantur	243.256
<i>Vinum</i> quo modo transeat in acetum	95	- non confundi debent cum tumoribus duris circa ulcus	256
<i>Vinum aromaticum</i> ad roborationem laudatur in ulceribus	255	- composita in venereis & canerosis ulcerationibus eveniunt	256.286
<i>Vini spiritus rectificatissimus</i> vesica adhibitus optime sangvinem inspissat	96	- quando in fistulosa abeant	257
vid. Spiritus vini		glandularum præ aliis sunt rebellia	245.306
<i>Viperarum caro</i> , cor & hepar specificè conducunt in moribus serpentum & viperarum	375		

Yyyy 3

*Vlcera*

I N D E X

*Ulcera*

- cancrodes, Gallice chancre 292  
 cancroidea num curationem admittant 307  
 cancrofa 298  
 - quomodo differant a cancro 299  
 - faciei peculiaris sunt malignitatis 316  
 - labiorum summæ sunt difficultatis ibid.  
 cariota curationem reddunt difficilem 324  
 ex eryfipelate 259  
 - sunt pravæ indolis 73. 259  
 fistulofa 267  
 - quomodo differant ab ulcere finuofa 268  
 - in diffito loco nonnunquam habent cariem 269. 323  
 - eorum cura interna & externa 269. 270  
 ulcus phagedænum 259  
 ex fcirrhif nata feu fcirrhofam ftasin in ambitu foventia, quomodo tractanda 143  
 ex fcirrhif indolentibus pejora sunt quam fimplicia 144  
 fcorbutica 286  
 - sunt fœtida ibid.  
 - certis anni temporibus repullulant 287  
 ferpiginofa 260  
 - sunt contagiofa 262 263
- fæpius repullulantia corruptelam humorum intimiorem designant 262  
 finuofa 250. 351  
 - quomodo differant a fistula perfecta 267. 268  
 superficialia tibiæ incongrue tractata fiunt rebellia 249  
 - non ftatim emplafiro tractanda fiunt 254  
 venerea 291  
 - quomodo tractanda 293  
 fqq.  
 non ferunt humiditatem, nifi fit fpirituofa 255  
 - habent fegnitiem fucceffivæ corruptionis 292  
 eorum cura generalis & fpecialis 246. 248. 251  
 - errores circa eandem 249  
 - ab intra expurgatio commendatur a Paracelfo 247. 269. 315  
 diuturna & recidivis firmata rebellia fiunt 252  
 eorum humida colluvies prius abftergenda, quam fibrillæ femi-corruptæ 251  
 legitime curata cur novæ confluentioni facile expofita fiunt 251  
 252
- Ulceratio palati* 617  
*Umbilici compunctio* 539  
 deligatio 657  
 incifio a quibusdam impugnatur 204

*Unguen-*

R E R U M.

<i>Unguentum</i> ad achores	265	- laudatur in ulceribus &	
ad ambustiones describitur	103	vulneribus mundifican-	
Apostolorum lenius est quam Æ-		dis	248
gyptiacum	252. 255	- in levibus carnosif vulneri-	
- ad fungos incipientes lau-		bus non est necessarium	
datur	217		330
- in sphacelo commendatur		de linaria conducit in procidentia	
	94	ani	182
Ægyptiacum in pernionibus	107	maturans nocet in abscessibus	
- in fungis parcius adhiben-		minoribus evacuatis	72
dum	216	Mercuriale	294
- in carie ossium indiget cir-		- ejus applicatio absque sali-	
cumspectione	321	vationis effectu	295
Foresti laudatur in procidentia		e floribus verbasci & calendulæ	
ani	182	conducit in procidentia ani	
Felicis Wurtzii fuscum & pur-			182
pureum circumspecte adhi-		Paracelsi ad vulnera venenata &	
bendum	255. 321. 3	bubones venereos	154. 377
e succo betonicæ in gangræna &		ad ulcera serpiginosa	263
sphacelo laudatur	89	Wurtzii fuscum medium est in-	
de cane rubro ad ariduram lau-		ter Ægyptiacum & Apostolo-	
datur	240	rum	255
- illius præparatio	241	<i>Unguifosa</i> nocent in inflammationi-	
digestivum quodnam optimum		bus	62. 72
	328. 332	it. in fracturis	413
- cautelæ circa illud ratione		<i>Unguis</i>	589
diversarum partium	328	ejus cura	ibid.
	332	<i>Ungues</i> in digitis pedum carnem of-	
- qualem efficaciam habeat		fendentes	234
	328	<i>Unguium</i> vitia quomodo tractanda	
- colliquat & abstergit pus			234. 660
	70. 328	<i>Volsella</i>	17. 25
- multo melle imbutum cal-		<i>Urethra</i> vitia	630
los resolvit	258	caruncula	ibid.
- quando huic myrrha ad-		clausura	631. 648
miscenda sit	328	imperforatio	630
		<i>Urina</i>	

I N D E X

<i>Urina</i> ejus excretioni duplex interdum hiatus patet	531	in carie ossium commendatur	322
- incontinentia quomodo tractanda	631	in sphacelo egregium habet usum	95
nonnullis est arcanum in contusionibus	61	varicum periculosa	118
calida efficax est in sugillationibus recentibus	131	in vulneribus venenatis locum habet	375
<i>Urinosa excrementa</i> laudantur in tumoribus œdematosi	169	ejus cautelæ	542
<i>Urticatio</i>	240	<i>Uteri</i> coalitus quomodo tractandus	522. 526. 530
<i>Usnea cranii humani</i> specificè solet laudari ad synoviam	391	in gravidis ultimis mensibus non raro evenit	179
<i>Ustio</i>	540	descensus	175
non conducit in anevrysmate, nisi in spurio admodum parvo	113	excrescentia	176
arteriarum incisarum nunquam concedenda	337	procidentia	175. 651
vasorum pessimo consilio instituitur	383	- rarior quam vaginæ prolapsus	176
ejus usus	541	- quomodo reponenda	177
actualis, quomodo fieri debeat	542	<i>Vulnera</i> generatim	325
- circumspèctionem requirit	95	eorum differentia sunt fere innumera	ibid.
- ejus post amputationem partis cautelæ	542	gravia in partibus minus necessariis cur facilius ferantur, quam levia in partibus perpetui usus	402
potentialis circumspèctionem requirit	ibid.	a Chirurgis sæpe in deteriorem statum deducuntur	332
- quamdiu relinquenda sit	ibid.	levia carnosa non indigent medicamentis	330. 331
- relinquenda, donec eschara inducta sit	ibid.	lethalia distinguenda sunt a vulneribus insanabilibus	393
quando locum habeat in ossium infectione	296	insanabilia quænam sint	394
		lethalia	392
		per accidens lethalia quænam sint	394

*Vul-*

R E R U M

*Vulnera*

animalium rabidorum majore cura tractanda sunt 374. 376  
 per morsum simiarum inflicta periculosissima habentur 377  
 contusorum vulnerum prognofis 395  
 punctim facta graviora funt, quam caſim inflicta 395  
 ſclopeteria 371. 397  
 - ſemper requirunt digeſtiva 372  
 - hiſce ad attrahendum empyreuma applicare acriuſcula inutile eſt 372  
 venenata 373. 395  
 - eorum prognofis 374  
 - præ aliis funt periculofa ibid.  
 - non ferunt moram 375  
 - quomodo virus extrahendum ſit 374  
 - per plures hebdomadas aperta funt ſervanda 376  
 venenatis per lacerationem dentium iuſſictis quomodo ſuccurrendum ibid.  
 eorum renunciatio eſt res difficilis 403  
 dominis, eorum prognofis 398  
 - ſuperficialia 361  
 - cavitatem penetrantia 362  
 arteriæ tantum inciſæ quomodo tractanda 337  
 - aſperæ 356  
 - eorum prognofis 356. 398  
*Junck. Chir.*

- carotidis 356  
 articularum 366  
 artuum, eorum prognofis 402  
 aurium, quomodo tractanda 352  
 capitis 338  
 - eorum prognofis 344  
 - ſigna generalia 341  
 præ reliquis funt periculofa 344. 395. 396  
 levia leviter non funt tractanda 345. 395. 396  
 cerebri, eorum prognofis 345. 396  
 - ſigna 342  
 cifternae, eorum prognofis 400  
 colli 356  
 - mufculorum 357  
 - eorum prognofis 397  
 cordis 361  
 - eorum prognofis 398  
 cranii & pericranii, eorum prognofis 338. 396  
 - ſigna 342  
 ductus cholid, eorum prognofis 399  
 - thoracici, eorum prognofis 400  
 diaphragmatis, eorum prognofis 398  
 faciei 340  
 faucium 354  
 fœtus in utero, eorum prognofis 402  
 frontis quomodo tractanda 349  
 genarum quomodo tractanda 352  
 glandularum 395  
 Zzzz  
*Vulnera*

I N D E X

<i>Vulnera</i>		renum	364
gulæ, eorum prognosıs	400	- eorum prognosıs	400
hepatis	363	sterni	358
- eorum prognosıs	399	- eorum prognosıs	398
intestinorum	364. 365	temporum, eorum prognosıs	
- eorum prognosıs	401		397
labiorum quomodo tractanda	353	musculorum temporalium, quo-	
lienis	363	modo tractanda	349
- eorum prognosıs	400	tendinum sunt periculosa	394
linguæ quomodo tractanda	353	thoracıs	356
meningum, eorum prognosıs	345. 396	- eorum prognosıs	397
menti	354	- levia	358
mesenterii	364	thoracıs cavıtatem penetrantia	358. 397
- eorum prognosıs	400	vaforum lymphaticorum	395
nasi quomodo tractanda	352	- eorum prognosıs	400
nervorum	357. 394	venæ jugularıs	356
- sunt periculosa	394	ventriculi	364
oculorum	350	- eorum prognosıs	401
œsophagi	357	vesiculæ felleæ	363
- eorum prognosıs	400	- eorum prognosıs	399
omenti	363	urinarıæ	364
- eorum prognosıs	399	- eorum prognosıs	400
organorum sensoriorum externo-		umbilici	362
rum, eorum prognosıs	397	- eorum prognosıs	399
palpebrarum, quomodo tractanda	350	uretherum	364
		- eorum prognosıs	400
pancreatis	364	uteri	366
- eorum prognosıs	400	- eorum prognosıs	402
pericranii, quomodo tractanda	346	sine hæmorrhagia subsequente	
pericardii	398	exposcunt venæfectionem	337
peritonæi, eorum prognosıs	399	qua cautela liganda	338
pulmonum	360	exsanguia in ulcus transeuntia ad-	
- eorum prognosıs	398	modum fiunt sensibilia	336
		eorum mundificatio præcipuum	
		est curæ momentum	327. 372
		<i>Vulnera</i>	

R E R U M.

<i>Vulnera</i>		rum laudatur	311
- quænam includat	328	Wetters: Veränderung fühlen	
integram partem penetrantia in-		etliche Patienten	382. 444
star fetaceorum tractari solent		Wiecken	52
	372	Wild Fleisch	227. 251
levia & profunda quomodo tra-		Wind: Dorn	318
ctanda	330	Wind: Geschwulst	422
eorum labia valde dehiscencia		Winteri observ. de radice napelli	
quomodo unienda	331		314
- consolidatio quomodo pro-		Wurm am Singer	125
movenda	329	Wurtzii unguentum fuscum	255
<i>Vulneraria decocta</i> quomodo paran-			
da	331		
vix necessaria	331. 334		
accusantur	334		
<i>Uvula descensus</i> quomodo tractandus			
	616		

Y.

**Y**vens cultros & alias res ferreas  
deglutivit 403

Z.

W.			
<b>W</b> achs: Beulen	148	<b>Z</b> ingiber laudatur in gutta rosa-	
Wagen: Schmeer specificè		cea	122
laudatur in sphacelo	97	conducit in tumoribus œdema-	
Wasser: Kopf	171	rosis	168
<i>Wedelius</i> laudat pinguedinem vipe-		<i>Zona Hildani</i>	25
rarum in cataracta incipiente		Zug: Brücke quid sit	340
	604	Zug: Glas	25
<i>Wege: Distel</i> ad cancerum ulcera-		Zungen: Lösen	614







